

**Before the
Federal Communications Commission
Washington, DC**

| | | |
|---|---|----------------------|
| In the Matter of |) | |
| |) | |
| Amendment of the Commission's Rules |) | WT Docket No. 07-250 |
| Governing Hearing Aid Compatible Mobile |) | |
| Handsets |) | |
| |) | |

**Hearing Aid Compatibility Compliance Efforts
Status Report #8
Submitted by the Alliance for Telecommunications Industry Solutions (ATIS)
on behalf of the ATIS Incubator Solutions Program #4**

**Alliance for Telecommunications
Industry Solutions**
1200 G Street, NW
Suite 500
Washington, DC 20005
By: Thomas Goode
General Counsel
(202) 434-8830

Table of Contents

| | | |
|------|--|---|
| I. | INTRODUCTION | 4 |
| A. | General Overview of AISP.4-HAC | 4 |
| B. | AISP.4-HAC Working Groups | 5 |
| II. | CONSOLIDATED HAC COMPLIANCE REPORT | 6 |
| | Table 1- Consolidated Status Report from Wireless Device Manufacturers on HAC Compliance Devices | 7 |
| | Table 2- Consolidated Status Report from Service Providers on HAC Compliance Devices | 7 |
| III. | CONCLUSION | 7 |
| | Attachment A -- Status Report Form | 9 |

LIST OF COMPANIES SUBMITTING STATUS REPORT FORMS

Listed below are the companies that have submitted individual status reports for inclusion in this report.

Alltel Communications, Inc. (a subsidiary of Cellco Partnership d/b/a Verizon Wireless)

AT&T, Inc.

Kyocera Wireless Corporation

Motorola

Nokia, Inc.

Research in Motion, Ltd.

Rural Cellular Corp. (a subsidiary of Cellco Partnership d/b/a Verizon Wireless)

Samsung Telecommunications America, LP

Sony Ericsson Mobile Communications (USA), Inc.

SprintNextel

Symbol Technologies, Inc.

T-Mobile USA

Verizon Wireless

I. INTRODUCTION

The Alliance for Telecommunications Industry Solutions (“ATIS”), on behalf of its Incubator Solutions Program #4 – Hearing Aid Compatibility (“AISP.4-HAC” or “Incubator”), hereby files this eighth Status Report on the efforts of wireless device manufacturers and service providers to comply with the Federal Communications Commission’s (“FCC” or “Commission”) hearing aid compatibility (“HAC”) requirements as defined in the Commission’s *First Report and Order* in WT Docket No. 07-250 (“*R&O*”).¹ This report, which is filed pursuant to the reporting requirements adopted by the Commission in the *First R&O*, is filed on behalf of the members of the AISP.4-HAC. The Incubator membership, detailed in Section I.A. below, includes wireless service providers and manufacturers, as well as organizations representing hearing aid consumers.

As with the seven previous Status Reports filed by the ATIS Incubator, this eighth Status Report represents the collective input from Incubator members. Individual members of the AISP.4-HAC were provided the opportunity to submit Individual Status Reports to ATIS for inclusion in this report. These Individual Status Reports are included in **Attachment A**.

On December 23, 2008, the Commission released a *Public Notice*² which contained new FCC Form 655, a voluntary HAC status reporting form. AISP.4-HAC participants are reviewing the new FCC Form 655 and plan, as appropriate, to provide input to the Commission.

As of December 31, 2008, the manufacturers of wireless devices (“WDs”) have more than **171** models with FCC-granted M3 or T3 or higher ratings on the market in the U.S. and service providers offer **206** models with FCC-granted M3 or T3 or higher ratings.

A. General Overview of AISP.4-HAC

ATIS is the leading technical planning and standards development organization committed to the rapid development of global, market-driven standards for the information, entertainment and communications industry. More than 300 companies actively formulate standards in ATIS’ 20 Committees, covering issues including: IPTV, Service Oriented Networks, Home Networking, Energy Efficiency, IP-Based and Wireless Technologies, Quality of Service, Billing and Operational Support. In addition, numerous Incubators, Focus and Exploratory Groups address emerging industry priorities including “Green”, IP Downloadable Security, Next Generation Carrier Interconnect, IPv6 and Convergence.

¹ In the Matter of Amendment of the Commission’s Rules Governing Hearing Aid Compatible Mobile Handsets, *First Report and Order*, WT Docket No.07-250 (rel. February 28, 2008).

² *Public Notice*, DA 08-2735 (rel. Dec. 23, 2008).

The ATIS membership spans all segments of the industry, including local exchange carriers, inter-exchange carriers, wireless equipment manufacturers, competitive local exchange carriers, data local exchange carriers, wireless providers, providers of commercial mobile radio services, broadband providers, software developers and internet service providers.

AISP.4-HAC is focused on the technical issues addressing interoperability and compatibility of wireless devices with hearing aids, including the evaluation and test methodology of the measurement standard as referenced in the ANSI ASC C63.19 Standard. AISP.4-HAC is composed of technical experts from the wireless industry representing wireless manufacturers and service providers, as well as technical experts representing the hearing aid industry. Representatives from consumer advocacy and disability groups also actively participate in open AISP.4-HAC meetings.

The AISP.4-HAC has the following membership as of January 15, 2009:

MEMBERS

| | |
|-------------------------|--|
| AT&T | Samsung Telecommunications America LP |
| Kyocera Wireless | Sprint Nextel |
| Motorola, Inc. | Sony Ericsson Mobile Communications (USA) Inc. |
| Nokia, Inc. | T-Mobile USA |
| Research in Motion Ltd. | Verizon Wireless |

WORKING PARTICIPANTS

| | |
|---------------------------|--------------------------------|
| ANSI ASC C63™ | Georgia Tech- RERC on |
| CTIA-The Wireless | Wireless Technology |
| Association® | Hearing Industries Association |
| Gallaudet University – | Hearing Loss Association of |
| Technology Access Program | America |
| and RERC on | |
| Telecommunications | |

B. AISP.4-HAC Working Groups

Working Groups have been formed within the AISP.4-HAC to: (1) direct the focus of experts on specific issues; (2) promote effective member collaboration on ideas; and (3) make recommendations for review and discussion by the full incubator membership. Since its inception, the HAC Incubator has formed eleven working groups. Of these, nine have reached their conclusion and two have been active since the last status report. A list of the working groups is below.

- WG-1: Simpler HA Testing (*closed*);
- WG-2: Incubator Process (*closed*);

- WG-3: IEC-60118-13 and C63.19 HA Requirements (*closed*);
- WG-4: Test Plan (*closed*);
- WG-5: Accreditation Process (*closed*);
- WG-6: Labeling (*remains active*);
- WG-7: Incubator Work Plan (*closed*);
- WG-8: AWF (*closed*);
- WG-9: 850 MHz and Higher Power Technology Challenges (*closed*);
- WG-10: 50% Rule Analysis (*closed*); and,
- WG-11: VCAT (Volume Control and Telecoil) (*remains active*).

II. CONSOLIDATED HAC COMPLIANCE REPORT

AISP.4-HAC has prepared a HAC compliance report form for use by its members. This report form was designed by Incubator members to comply with the HAC requirements pursuant the *R&O*. Industry participants were given the option of submitting either the AISP.4-HAC report form or the new FCC Form 655. Completed Compliance Status Report Forms from individual AISP.4-HAC members are included as **Attachment A**. As of December 31, 2008, there are **171** HAC models (rated M3 or T3 or higher) offered by WD manufacturers. Service providers are offering **206** HAC models for use in the U.S.

The tables below summarize the information provided from individual AISP.4-HAC members in their HAC report forms. This eighth Status Report separates information from the individual status report forms into two tables: the first table summarizes information from the reports filed by wireless device manufacturers, and the second table summarizes the information provided by service providers.

As with previous reports, the information on these tables was created from the attached report forms. The information regarding the number of compliant devices offered by air interface was calculated by examining the information in field 2(a) of the AISP.4-HAC status report form (or Sections 2 and 3 of the FCC Form 655).³

³ AISP.4-HAC does not independently evaluate the information provided on these forms.

**Table 1- Consolidated Status Report from Wireless Device Manufacturers
on HAC Compliance Devices**

| | Quantity |
|---|-----------------|
| Total Number of Wireless Device Manufacturers Participating in AISP.4-HAC | 7 |
| CDMA HAC compliant models | 101 |
| GSM HAC compliant models | 37 |
| iDEN HAC compliant models | 12 |
| GSM/WCDMA HAC compliant models | 18 |
| GSM/UMTS HAC compliant models | 3 |
| Total HAC Compliant WD Models offered: | 171 |

**Table 2- Consolidated Status Report from Service Providers
on HAC Compliance Devices**

| | Quantity |
|---|-----------------|
| Total Number of Service Providers Participating in AISP.4-HAC | 6 |
| CDMA HAC compliant models | 137 |
| GSM HAC compliant models | 32 |
| iDEN HAC compliant models | 11 |
| GSM/UMTS HAC compliant models | 22 |
| CDMA/GSM HAC compliant models | 4 |
| Total HAC Compliant WD Models offered: | 206 |

III. CONCLUSION

AISP.4-HAC is proud of the work that it and the industry have accomplished to foster the availability of hearing aid-compatible WDs. In just five years, the wireless industry has managed and worked through various challenges to make HAC equipment widely available to consumers.

WHEREFORE, THE PREMISES CONSIDERED, ATIS, on behalf of AISP.4-HAC, respectfully submits this seventh Status Report on Hearing Aid Compatibility Compliance Efforts for inclusion in the record in this proceeding.

Respectfully submitted by:

ATIS on behalf of AISP.4-HAC,



Thomas Goode
General Counsel
ATIS
1200 G Street, NW
Suite 500
Washington, DC 20005

January 15, 2009

Attachment A -- Status Report Form

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | |
|---|-----------------------------|---|
| SECTION 1. COMPANY INFORMATION | | Service Provider: <u> x </u> Device Manufacturer: _____ |
| <p>a. <i>Company Name:</i> Alltel Communications Inc. (a subsidiary of Cellco Partnership d/b/a Verizon Wireless). This report also covers the offering of hearing-aid compatible handsets in cellular market areas the day-to-day control over which was transferred to a management trustee on January 9, 2009 as a condition to the approval of the acquisition of ALLTEL by Verizon Wireless, pending the divestiture of wireless assets and spectrum in those markets.¹</p> | | b. <i>Contact Name:</i> Michael Samsock |
| c. <i>Address:</i> 1300 I Street, NW – Suite 400 West | | |
| d. <i>City:</i> Washington | e. <i>State:</i> DC | f. <i>Zip Code:</i> 20005 |
| g. <i>Phone:</i> 202-589-3768 | h. <i>Fax:</i> 202-589-3750 | i. <i>Email:</i> michael.samsock@verizonwireless.com |
| j. <i>Company URL for HAC (if applicable):</i> | | http://www.alltel.com/wps/portal/AlltelPublic!/ut/p/c1/04_SB8K8xLLM9MSSzPy8xBz9CP0os3hnP2-DoCBDAwN_HxcnAyNLZ0PLIE9DIN9MPxykA0mFu3eokYFRgFOwWZi7i5GBgQFE3gAHcDTQ9_Plz03VL8jOTnN0VFQEAPhJpK4!/dl2/d1/L0IDU0IKSWdrbUEhIS9JRFJBQUlpQ2dBek15cXchL1ICSkoxTkExTkk1MC01RncvN19DTkswUllxMDBPTERCMDI5QzE5UkxkMTBHNC9JX19fXzE!/?WCM_PORTLET=PC_7_CNK0RR100OLDB029C19RI110G4_WCM&WCM_GLOBAL_CONTEXT=/wps/wcm/connect/Personal/home/p/phonesandaccessories/disabilityaccess/disability-access.html |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested (Mfs Only) | Months available (Month and Year) (EOL=End of Life where applicable) | Level of Functionality Classification (SPs Only) |
|---------------------|-----------|------------------|-----------------|--------------------|---|---|---|
| LG AX300 | BEJAX300 | CDMA | 1900 & 800 | M3 T3 | N/A | 7/08-12/08 | Basic |
| Motorola KRZR - K1m | IHDT56GH1 | CDMA | 1900 & 800 | M4 T4 | N/A | 10/06-12/08 | EVDO |

¹ See Applications of Cellco Partnership d/b/a Verizon Wireless and Atlantis Holdings LLC for Consent to Transfer Control of Licenses, Authorizations, and Spectrum Manager and De Facto Transfer Leasing Arrangements, Memorandum Opinion and Order and Declaratory Ruling, FCC 08-258 (rel. Nov. 10, 2008) (“Verizon Wireless-ALLTEL Merger Order”).

| | | | | | | | |
|--------------------|------------|--------------|------------|-----------------|-----|-------------|------------|
| Motorola Q9c | IHDT56HS1 | CDMA | 1900 & 800 | M3 T3 | N/A | 6/08-12/08 | Smartphone |
| Motorola V3a | IHDT56HD1 | CDMA | 1900 & 800 | M3 T3 | N/A | 6/07-12/08 | Basic |
| Motorola V9m | IHDT56HT1 | CDMA | 1900 & 800 | M4 T4 | N/A | 9/07-12/08 | EVDO |
| Motorola VE20 | IHDT56JM1 | CDMA | 1900 & 800 | M4 T4 | N/A | 9/08-12/08 | EVDO |
| Motorola Z6m | IHDT56GU1 | CDMA | 1900 & 800 | M4 T4 | N/A | 10/07-12/08 | EVDO |
| Motorola Hint QA30 | IHD56JX1 | CDMA | 1900 & 800 | M4 T3 | N/A | 11/08-12/08 | EVDO |
| RIM Pearl 8130 | L6ARBS20CW | CDMA | 1900 & 800 | M3 T4 | N/A | 12/07-12/08 | Smartphone |
| RIM Curve 8330 | L6ARBU20CW | CDMA | 1900 & 800 | M4 T4 | N/A | 5/08-12/08 | Smartphone |
| RIM 8703e | L6ARBF20CW | CDMA | 1900 & 800 | M4 T4 | N/A | 11/06-12/08 | Smartphone |
| RIM 8830 | L6ARBK40CG | CDMA/ GSM | 1900 & 800 | M4 T4 | N/A | 8/07-12/08 | Smartphone |
| Samsung Delve R800 | A3LSCHR800 | CDMA | 1900 & 800 | M3 T3 | N/A | 11/08-12/08 | EVDO |
| LG Swift AX500 | BEJAX500 | CDMA | 1900 & 800 | M4/No T-coil | N/A | 11/08-12/08 | EVDO |
| LG AX145 | DEJLG200C | CDMA | 1900 & 800 | M4/No T-coil | N/A | 7/07-12/08 | Basic |
| LG AX155 | BEJAX155 | CDMA | 1900 & 800 | M4/No T-coil | N/A | 9/08-12/08 | Basic |
| LG Scoop AX260 | BEJLX260 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 2/08-12/08 | Basic |
| LG AX275 | BEJAX275 | CDMA | 1900 & 800 | M4/No T-coil | N/A | 5/07-12/08 | Basic |
| LG AX380 | BEJLX360 | CDMA | 1900 & 800 | M4/No T-coil | N/A | 8/07-8/08 | EVDO |
| LG AX390 | BEJVX4700 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 7/06-12/08 | Basic |
| LG AX565 | BEJLX570 | CDMA | 1900 & 800 | M4/No T-coil | N/A | 2/08-12/08 | EVDO |
| LG Rhythm AX585 | BEJAX585 | CDMA | 1900 & 800 | M4/No T-coil | N/A | 10/08-12/08 | EVDO |
| LG Glimmer AX830 | BEJAX830 | CDMA | 1900 & 800 | M4/No T-coil | N/A | 3/08-12/08 | EVDO |
| LG AX8600 | BEJVX8600 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 3/07-7/08 | EVDO |
| Motorola Q | IHDT56FQ1 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 3/07-12/08 | Smartphone |
| Motorola W315 | IHDT56GE1 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 9/06-12/08 | Basic |
| Palm 755P | 08F-895 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 11/07-12/08 | Smartphone |

| | | | | | | | |
|----------------------------------|------------|------|------------|--------------|-----|-------------|------------|
| Palm Treo 700WX | 08FJIMI | CDMA | 1900 & 800 | M3/No T-coil | N/A | 12/06-12/08 | Smartphone |
| Samsung R200 | A3LSCHR200 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 9/07-7/08 | Basic |
| Samsung MyShot R430 | A3LSCHR430 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 6/08-12/08 | Basic |
| Samsung Hue R500 | A3LSCHR500 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 7/07-12/08 | EVDO |
| Samsung Hue II R600 | A3LSCHR600 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 11/08-12/08 | EVDO |
| Samsung Muse U706 | A3LSCHU706 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 3/08-12/08 | EVDO |
| UTStarcom HTC 6800 | NM8TITA100 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 8/07-12/08 | Smartphone |
| UTStarcom HTC Touch Pro 6850 | NM8RAPH800 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 11/08-12/08 | Smartphone |
| UTStarcom HTC Touch 6900 | NM8V0GU100 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 1/08-12/08 | Smartphone |
| UTStarcom HTC Touch Diamond 6950 | NM8DIAM500 | CDMA | 1900 & 800 | M3/No T-coil | N/A | 10/08-12/08 | Smartphone |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|--------------|-------------|------------------|-----------------|-----------------------------------|
| Kyocera KX12 | OVFKWC-KX12 | CDMA | 1900 & 800 | 3/06-12/08 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| CDMA | 19 | 36 | 12 | 12 | CDMA | 1 |
| CDMA/GSM | 1 | 1 | 1 | 1 | CDMA/GSM | 0 |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

Alltel offers all of the models listed above as HAC compliant on a nationwide basis. Availability of the various HAC compliant models may be obtained through Alltel's full-sized retail locations and via the internet. Space limitations of certain retail locations (kiosks for example) provide only restricted display space and consequently in such locations the entire line of HAC compliant phones may not be openly displayed. Sales personnel at these restricted-size locations have the capability to direct customers to the Alltel web site or to other larger, Alltel retail stores in the vicinity.

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (*Manufacturers Only – by model name/# and FCC ID*)

n/a

SECTION 5. PRODUCT LABELING INFORMATION

Alltel labels its HAC compliant handsets in three ways:

- (1) providing ancillary materials other than the user manual that are displayed and distributed with the HAC compliant handset;
- (2) showing the M and T ratings on the side of the handset's box or providing written collateral to the customer at the point of sale; and
- (3) including a brief description of the M and T ratings in the phone's user manual or on an insert enclosed in the phone's box.

SECTION 6. CONSUMER OUTREACH EFFORTS

Alltel's website has been updated to include information on HAC compliant handsets including: (1) a listing of HAC complaint handsets available to subscribers and their ratings; (2) a description of the ANSI Standard (M and T (where applicable) ratings); (3) information on the features and capabilities of each handset.

Sales personnel at stores at Alltel owned and operated retail locations have been familiarized with HAC requirements as well as the various handsets offered by Alltel that meet the HAC requirements. Sales personnel also generally are provided with direct access via the internet to HAC related information contained on Alltel's internet and intranet sites.

Alltel dedicates personnel to advising and servicing subscribers with disabilities, including those with HAC related concerns. Alltel personnel also regularly participate in, and or monitor, trade shows and industry trade association programs featuring or regarding HAC compliant handsets including those offered by CTIA and ATIS.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (*Service Providers Only*)

Alltel has categorized its various handset offerings along three basic tiers of functionality: "Basic"; "EVDO"; and "Smartphones". A Basic device is one that provides voice service and text messaging functions. If a Basic handset is equipped with data functionality, it utilizes 1xRTT technology.

EVDO devices, in addition to offering voice and text functionality, offer faster data rates using 1xEVDO technology.

Smartphones offer voice and texting functionality, but also offer more advanced computer-like features such as full-featured email, personal organizer and, in many cases, the ability to add custom

applications.

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | |
|--|----------------------|---|
| SECTION 1. COMPANY INFORMATION | | Service Provider: <u> X </u> Device Manufacturer: _____ |
| a. Company Name: AT&T Inc | | b. Contact Name: Susan Mazrui |
| c. Address: 1120 20 th Street NW | | |
| d. City: Washington | e. State: DC | f. Zip Code: 20036 |
| g. Phone: 202-457-2056 | h. Fax: 202-457-2062 | i. Email: susan.mazrui@att.com |
| j. Company URL for HAC (if applicable): http://www.wireless.att.com/about/disability-resources/hearing-aid-compatibility.jsp | | |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested (Mfs Only) | Months available (Month and Year) | Level of Functionality Classification (SPs Only) |
|---------------------------|------------|------------------|-------------------|--------------------|---|--------------------------------------|---|
| LG CE110 | BEJCE110 | GSM | 850/900/1800/1900 | M3/T3 | | Nov. 07- Dec. 08 | Good |
| LG CP150 | BEJCP150 | GSM | 850/900/1800/1900 | M3/T3 | | Nov. 08 - Dec. 08 | Good |
| LG CU515 | BEJCU515 | GSM/UMTS | 850/900/1800/1900 | M3/T3 | | Nov. 07- Dec. 08 | Better |
| Motorola V3 | IHDT56EU2 | GSM | 850/900/1800/1900 | M3 | | Nov. 07- Dec. 08) | Good |
| Motorola V3xx | IHDT56GN1 | GSM/UMTS | 850/900/1800/1900 | M3/T3 | | Nov. 07- Dec. 08 | Better |
| Motorola V9x | IHDT56JR1 | GSM/UMTS | 850/900/1800/1900 | M3/T4 | | Oct. 08 - Dec. 08 | Better |
| Motorola Z9n | IHDP56HA2 | GSM/UMTS | 850/900/1800/1900 | M3 | | Dec. 08 | Better |
| Nokia 6085 | LJPRM-198 | GSM | 850/900/1800/1900 | M3 | | Nov. 07- Dec. 08 | Good |
| Nokia 6555 | QMNRM-289 | GSM/UMTS | 850/900/1800/1900 | M3/T3 | | Nov. 07- Dec. 08 | Better |
| Nokia 6650 | QMNRM-324H | GSM/UMTS | 850/900/1800/1900 | M3/T3 | | Nov. 08 - Dec. 08 | Better |
| Pantech Breeze | JYCC520 | GSM | 850/900/1800/1900 | M3/T3 | | May 08 - Dec 08 | Good |
| Pantech C610 | JYCC610 | GSM/UMTS | 850/900/1800/1900 | M3/T4 | | Oct. 08 - Dec. 08 | Better |
| Pantech Slate C530 | JYCC530 | GSM | 850/900/1800/1900 | M3/T3 | | Oct. 08 - Dec. 08 | Good |
| RIM BlackBerry Curve 8310 | L6ARBN40GW | GSM | 850/900/1800/1900 | M3/T3 | | Nov. 07- Dec. 08 | Better |
| RIM BlackBerry Curve 8320 | L6ARBJ40GW | GSM/WiFi | 850/900/1800/1900 | M3/T3 | | Dec. 08 | Better |
| Samsung A437 | A3LSGHA437 | GSM | 850/1900 | M3/T3 | | Apr. 08 - Dec. 08 | Good |

| | | | | | | | |
|-----------------------|-------------|---------------|------------------------|-------|--|-------------------|--------|
| Samsung A637 | A3LSGH637 | GSM/UMTS | 850/900/1800/1900 | M3 | | Oct. 08 - Dec. 08 | Better |
| Samsung A737 | A3LSGHA737 | GSM/UMTS | 850/900/1800/1900 | M3/T3 | | Nov. 07- Dec. 08 | Better |
| Samsung A777 | A3LSGHA777 | GSM/UMTS | 850/900/1800/1900 | M3 | | Oct. 08 - Dec. 08 | Better |
| Samsung Access A827 | A3LSGHA827 | GSM/UMTS | 850/900/1800/1900 | M3 | | May 08 - Dec. 08 | Best |
| Samsung Blackjack II | A3LSGHI617 | GSM/UMTS | 850/900/1800/1900/2100 | M3 | | Nov. 07- Dec. 08 | Best |
| Samsung Epix | A3LSGHI907 | GSM/UMTS/WiFi | 850/900/1800/1900/2100 | M3 | | Oct. 08 - Dec. 08 | Best |
| Samsung Eternity A867 | A3LSGHA867 | GSM/UMTS | 850/900/1800/1900 | M3 | | Nov. 08 - Dec. 08 | Best |
| Samsung Propel A767 | A3LSGHA767 | GSM/UMTS | 850/900/1800/1900 | M3/T4 | | Oct. 08 - Dec. 08 | Better |
| Samsung Rugby A837 | A3LSGHA837 | GSM/UMTS | 850/900/1800/1900 | M3/T3 | | Sep. 08 - Dec. 08 | Better |
| Samsung SLM A747 | A3LSGHA747 | GSM/UMTS | 850/900/1800/1900 | M3 | | Nov. 07- Dec. 08 | Better |
| Sony Ericsson W580i | PY7A1052042 | GSM | 850/1900 | M3/T3 | | Nov. 07- Dec. 08 | Good |
| Sony Ericsson W760a | PY7A3252041 | GSM/UMTS | 850/1900/2100 | M3/T3 | | Oct. 08 - Dec. 08 | Better |
| Sony Ericsson Z310a | PY7A1032021 | GSM | 850/1900 | M3 | | Nov. 07- Dec. 08 | Good |
| Sony Ericsson Z750a | PY7A3252023 | GSM/UMTS | 850/900/1800/1900 | M3/T3 | | Apr. 08 - Dec. 08 | Better |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|---------------------|-----------------------|-------------------------|------------------------|--|
| Apple iPhone 2g | BCGA1203 | GSM/ WiFi | 850/900/1800/1900 | Nov. 07- Dec. 08 |
| Apple iPhone 3g | BCGA1241 | GSM/UMTS/WiFi | 850/900/1800/1900 | Jul. 08 - Dec. 08 |
| HTC Fuze | NM8RPL | GSM/UMTS/WiFi | 850/900/1800/1900/2100 | Nov. 08 - Dec. 08 |
| HTC Tilt | NM8KS | GSM/UMTS/WiFi | 850/900/1800/1900/2100 | Nov. 07- Dec. 08 |
| LG Incite | BEJCT810 | GSM/UMTS/WiFi | 850/900/1800/1900/2100 | Nov. 08 - Dec. 08 |
| LG Invision | BEJCB630 | GSM/UMTS | 850/900/1800/1900 | Nov. 08 - Dec. 08 |
| LG Shine | BEJCU720 | GSM/UMTS | 850/900/1800/1900 | Nov. 07- Dec. 08 |
| LG VU | BEJCU920 | GSM/UMTS | 850/900/1800/1900 | May 08 - Dec. 08 |
| Motorola Q9h | IHDT56HW1 & IHDT56HW2 | GSM | 850/900/1800/1900 | Nov. 07- Dec. 08 |
| Motorola Z9 | IHDP56HA1 | GSM/UMTS | 850/900/1800/1900 | Apr. 08 - Dec. 08 |
| Nokia 2600 | QTLRM-341 | GSM | 850/1900 | Oct. 08 - Dec. 08 |
| Nokia 2610 | QTLRH-87 | GSM | 850/1900 | Nov. 07- Dec. 08 |
| Palm Centro | 08F-728 | GSM | 850/900/1800/1900 | Feb. 08 - Dec. 08 |

| | | | | |
|--------------------------------|-------------|---------------|------------------------|-------------------|
| Pantech C150 | JYCC150 | GSM | 850/900/1800/1900 | Nov. 07- Dec. 08 |
| Pantech C630 | JYCC630 | GSM/UMTS | 850/900/1800/1900 | Dec. 08 |
| Pantech Duo | JYCC810 | GSM/UMTS | 850/900/1800/1900 | Nov. 07- Dec. 08 |
| Pantech Matrix | JYCC740 | GSM/UMTS | 850/900/1800/1900 | Oct. 08 - Dec. 08 |
| RIM BlackBerry 8820 smartphone | L6ARBG40GW | GSM/WiFi | 850/900/1800/1900 | Nov. 07- Dec. 08 |
| RIM BlackBerry Bold 9000 | L6ARBT70UW | GSM/UMTS/WiFi | 850/900/1800/1900/2100 | Nov. 08 - Dec. 08 |
| RIM BlackBerry Pearl 8110 | L6ARBQ40GW | GSM | 850/900/1800/1900 | Apr. 08 - Dec. 08 |
| RIM BlackBerry Pearl 8120 | L6ARBR40GW | GSM/WiFi | 850/900/1800/1900 | Mar. 08 - Dec. 08 |
| Samsung A117 | A3LSGHA117 | GSM | 850/1900 | Nov. 07- Dec. 08 |
| Samsung A127 | A3LSGHA127 | GSM | 850/1900 | Nov. 07- Dec. 08 |
| Samsung A137 | A3LSGHA137 | GSM | 850/1900 | Sep. 08 - Dec. 08 |
| Samsung A237 | A3LSGHA237 | GSM | 850/900/1800/1900 | Sep. 08 - Dec. 08 |
| Samsung A727 | A3LSGH727 | GSM/UMTS | 850/900/1800/1900 | Nov. 07- Dec. 08 |
| Sony Ericsson W350a | PY7A1032061 | GSM | 850/1900 | Aug. 08 - Dec. 08 |
| UT Starcomm Quickfire (GTX75) | O6Y-GTX75 | GSM/UMTS | 850/900/1800/1900/2100 | Nov. 08 - Dec. 08 |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| GSM | 9 | 30 | 5 | 19 | GSM | 28 |
| UMTS | 9 | 19 | 5 | 11 | UMTS | 14 |
| | | | | | | |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

HAC certified compliant models are available for sale in company owned or operated locations within each region and are available online at <http://www.wireless.att.com/about/disability-resources/hearing-aid-compatibility.jsp>. There are also compliant models for demonstration at company owned or operated locations. In some locations, such as kiosks, handsets may be shipped via overnight courier due to a limited availability of space for stock on hand.

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

SECTION 5. PRODUCT LABELING INFORMATION

HAC certified products are labeled on the exterior of the box with the appropriate M or M and T rating(s). Information describing the ratings is included either as an insert in the box or as a part of the user manual. AT&T has HAC information available on its website, on feature cards located next to phones on display at store locations, and in brochures provided at the point of sale at store locations.

SECTION 6. CONSUMER OUTREACH EFFORTS

AT&T has strongly supported efforts (including funding, use of store location and review of treatments and scripts) by the Wireless Rehabilitation Education Research Center to develop a series of instructional videos, for consumers, store personnel and hearing health professionals. This captioned series will be available for download at no charge to individuals, businesses or organizations interested in hearing aid compatibility with digital wireless devices. AT&T continues to support community based organizations such as Hearing Loss Association of American by providing speakers and outreach material as requested. AT&T submitted a proposal to address the accessibility and compatibility of new technologies to the California State University, Northridge 2009 Conference on Technology and Persons with Disabilities which was recently was accepted and has agreed to participate in outreach efforts along with other wireless companies at the HLAA conference. AT&T Mobility continues to support its National Center for Customers with Disabilities (NCCD) with expanded hours in order to continue to provide information about accessibility including hearing aid compatibility for persons with disabilities. AT&T maintains ongoing executive level discussions with representatives from the accessibility community. Finally, AT&T provides a list of hearing aid compatible phones, as well as general information about hearing aid compatibility at <http://www.wireless.att.com/about/disability-resources/hearing-aid-compatibility.jsp>.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (Service Providers Only)

The levels are “Good” which depicts devices with basic technology on entry level data speeds, “Better” which depicts devices with advanced technology and/or with advanced functionality, and “Best” which depicts devices with new technology and/or with new functionality that operate on faster data speeds.

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

SECTION 1. COMPANY INFORMATION

Service Provider: (Device Manufacturer: (

a. Company Name: *Kyocera Wireless Corp.*

b. Contact Name: *C. K. Li*

c. Address: *10300 Campus Point Drive*

d. City: *San Diego*

e. State: *CA*

f. Zip Code: *92121*

g. Phone: *858-882-3945*

h. Fax:

i. Email: *cli@kyocera-wireless.com*

j. Company URL for HAC
(if applicable):

http://www.kyocera-wireless.com/accessible-solutions/

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested (Mfs Only) | Months available (Month and Year) |
|--------------|------------------|------------------|-----------------|--------------------|--|-----------------------------------|
| KX1 | OVFKWC-KX1 | CDMA | 800/1900 | M3 | 2006 | 08/2005 |
| KX5 | OVFKWC-KX5 | CDMA | 800/1900 | M3 | 2006 | 05/2005 |
| KX5-5X0 | OVFKWC-KX5-5X0 | CDMA | 800/1900 | M3 | 2006 | 09/2005 |
| KX9A,B,C | OVFKWC-KX9 | CDMA | 800/1900 | M3 | 2006 | 05/2005 |
| KX9D | OVFKWC-KX9D | CDMA | 800/1900 | M4 | 2006 | 05/2006 |
| K24-2V5 | OVFKWC-K24B | CDMA | 800/1900 | M4/T4 | 2006 | 05/2006 |
| K24-2X0 | OVFKWC-K24B | CDMA | 800/1900 | M4/T4 | 2006 | 05/2006 |
| K24-2W0 | OVFKWC-K24B | CDMA | 800/1900 | M4/T4 | 2006 | 05/2006 |
| K24-2J0 | OVFKWC-K24-2J0 | CDMA | 1900 | M4/T4 | 2006 | 08/2006 |
| K127/K132 | OVFKWC-K27 | CDMA | 800/1900 | M3/T4 | 2006 | 09/2006 |
| K27-120 | OVFKWC-K27-120 | CDMA | 800/1900 | M3/T4 | 2006 | 01/2007 |
| K322 | OVFKWC-K24 | CDMA | 800/1900 | M3 | 2006 | 02/2007 |
| S6000 | OVFKWC-S6000-150 | CDMA | 800/1900 | M3/T4 | 2006 | 03/2007 |
| M1000 | OVFKWC-M1000-2J0 | CDMA | 1900 | M3/T4 | 2006 | 06/2007 |
| M1000 | OVFKWC-M1000-2X0 | CDMA | 800/1900 | M3/T4 | 2006 | 06/2007 |
| E2000 | OVFKK60-E2-5G5 | CDMA | 800/1900 | M4/T4 | 2006 | 07/2007 |
| E1000 | OVFKE1000-255 | CDMA | 800/1900 | M4/T4 | 2006 | 05/2007 |
| S4000 | OVFKWC-K33B01 | CDMA | 800/1900 | M4/T4 | 2006 | 02/2008 |
| S4000 | OVFKWC-K33B04 | CDMA | 800/1900/1700 | M4/T4 | 2006 | 02/2008 |
| E1100 | OVFKWC-K3801 | CDMA | 800/1900 | M3/T4 | 2006 | 08/2008 |
| E1100 | OVFKWC-K3802 | CDMA | 800/1900/1700 | M3/T4 | 2006 | 09/2008 |
| S2400 | OVF-K33BI01 | CDMA | 1900 | M3/T4 | 2006 | 04/2008 |
| S2410 | OVF-K33BI04 | CDMA | 800/1900/1700 | M3/T4 | 2006 | 10/2008 |
| S1300 | OVF-K33BIC01 | CDMA | 1900 | M3/T3 | 2006 | 12/2008 |
| S1300 | OVF-K33BIC03 | CDMA | 800/1900/1700 | M3/T4 | 2006 | 10/2008 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

b. Non-Certified Phone Models

| Model | FCC ID(s) | Air Interface(s) | Covered | Months available |
|-------|-----------|------------------|---------|------------------|
|-------|-----------|------------------|---------|------------------|

| Name/# | | | Band(s) | (Month and Year) |
|--------|-----------------|------|----------|------------------|
| KX12 | OVFKWC-KX12 | CDMA | 800/1900 | 12/2005 |
| K612 | OVFKWC-KX21 | CDMA | 800/1900 | 12/2005 |
| K612b | OVFKWC-KX21-2X0 | CDMA | 800/1900 | 02/2006 |
| K24 | OVFKWC-K24 | CDMA | 800/1900 | 05/2006 |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| CDMA | 10 | 25 | 2 | 19 | CDMA | 3 |
| | | | | | | |
| | | | | | | |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

SECTION 5. PRODUCT LABELING INFORMATION

- Package label listing the HAC rating
- Instruction manual

SECTION 6. CONSUMER OUTREACH EFFORTS

Web pages to provide HAC and Accessibility information.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (Service Providers Only)

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | | |
|--|--|---|---|
| SECTION 1. COMPANY INFORMATION | | Service Provider: _____ Device Manufacturer: <u> x </u> | |
| a. Company Name: <u>Motorola, Inc.</u> | | b. Contact Name: <u>Scott Kelley</u> | |
| c. Address: <u>600 North U.S. Highway 45, Mail Stop MW-113</u> | | | |
| d. City: <u>Libertyville</u> | | e. State: <u>IL</u> | f. Zip Code: <u>60048</u> |
| g. Phone: <u>847-523-0821</u> | | h. Fax: <u>847-523-4538</u> | i. Email: <u>scott.kelley@motorola.com</u> |
| j. Company URL for HAC (if applicable): <u>http://www.motorola.com/accessibility</u> | | | |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used <small>(Mfs Only)</small> | Months available | Level of Functionality Classification <small>(SPs Only)</small> |
|----------------|-------------|------------------|-----------------|--------------------|--|------------------|--|
| i365 | IHDP56HJ1 | iDEN | 800/900 | M3 | 2007 | Aug-Dec | n/a |
| i560 | AZ489FT5844 | iDEN | 800/900 | M3/T3 | 2006 | Jun-Dec | n/a |
| i570 | AZ489FT5844 | iDEN | 800/900 | M3/T3 | 2006 | Jun-Dec | n/a |
| i576 | IHDP56HS1 | iDEN | 800/900 | M4/T4 | 2007 | Oct-Dec | n/a |
| i580 | AZ489FT5848 | iDEN | 800/900 | M3/T3 | 2006 | Jun-Dec | n/a |
| i760 | AZ489FT5844 | iDEN | 800/900 | M3/T3 | 2006 | Jun-Dec | n/a |
| i776 | IHDP56HS1 | iDEN | 800/900 | M4/T4 | 2007 | Sep-Dec | n/a |
| i776w | IHDP56HS1 | iDEN | 800/900 | M4/T4 | 2007 | Oct-Dec | n/a |
| i850 | AZ489FT5844 | iDEN | 800/900 | M3/T3 | 2006 | Jun-Dec | n/a |
| i855 | AZ489FT5844 | iDEN | 800/900 | M3/T3 | 2006 | Jun-Dec | n/a |
| i880 | AZ489FT5853 | iDEN | 800/900 | M3/T3 | 2006 | Jun-Dec | n/a |
| V260 V262 | IHDT56ET1 | CDMA | 800/1900 | M3 | 2006 | Jul-Dec | n/a |
| W315 | IHDT56GE1 | CDMA | 800/1900 | M3 | 2006 | Jul-Dec | n/a |
| E815 | IHDT56EL1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| V3c V3m | IHDT56FT1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| L7c | IHDT56GQ1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| V323i V325i | IHDT56GS1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| ic402 ic502 | AZ489FT7019 | CDMA | 800/1900 | M4 | 2006 | Jul-Dec | n/a |
| Ve | IHDT56GJ2 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| K1c K1m | IHDT56GH1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| W385 | IHDT56HC1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| lc902 | IHDT56GP1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| Q | IHDT56FQ1 | CDMA | 800/1900 | M3 | 2006 | Jul-Dec | n/a |
| V3a | IHDT56HD1 | CDMA | 800/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| Z6m | IHDT56GU1 | CDMA | 800/1900 | M4 | 2006 | Jul-Dec | n/a |
| Z6tv | IHDT56HA1 | CDMA | 800/1900 | M3 | 2006 | Jul-Dec | n/a |

| | | | | | | | |
|----------------|------------------------|--------------|----------|-------|------|---------|-----|
| V9m | IHDT56HT1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| Q9m Q9c | IHDT56HS1 | CDMA | 800/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| ic602 | AZ489FT7019 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| Z6c | IHDP56HG1 | CDMA | 800/1900 | M3/T3 | 2006 | Aug-Dec | n/a |
| W755 | IHDT56JB1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| V950 | IHDT56JA1 | CDMA | 800/1900 | M4/T4 | 2006 | Aug-Dec | n/a |
| V750 | IHDT56JJ1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| VU30 | IHDT56JH1 | CDMA | 800/1900 | M4/T4 | 2006 | Sep-Dec | n/a |
| VE20 | IHDT56JM1 | CDMA | 800/1900 | M4/T4 | 2006 | Jul-Dec | n/a |
| ZN4 | IHDT56JZ1 | CDMA | 800/1900 | M4/T4 | 2006 | Oct-Dec | n/a |
| V3s | IHDT56JE1 | CDMA | 800/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| VU204 | IHDP56JF1 | CDMA | 800/1900 | M3/T4 | 2007 | Nov-Dec | n/a |
| QA4 | IHDT56JW1 | CDMA | 800/1900 | M4/T3 | 2007 | Nov-Dec | n/a |
| QA30 | IHDP56JX1 IHDP56JX2 | CDMA | 800/1900 | M4/T3 | 2007 | Nov-Dec | n/a |
| VE240 | IHDP56JS1 | CDMA | 800/1900 | M3/T3 | 2007 | Jul-Dec | n/a |
| V3xx | IHDT56GN1 | WCDMA GSM | 850/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| VA76r | IHDP56HM1 | WCDMA GSM | 850/1900 | M3/T3 | 2006 | Dec | n/a |
| V9x | IHDT56JR1 | WCDMA GSM | 850/1900 | M3/T4 | 2007 | Jul-Dec | n/a |
| Z9n | IHDP56HA2 | WCDMA GSM | 850/1900 | M3 | 2007 | Jul-Dec | n/a |
| V360 | IHDT6FF1 | GSM | 850/1900 | M3 | 2006 | Jul-Sep | n/a |
| V3i | IHDT56GW1 | GSM | 850/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| V3 (Razr06) | IHDT56HJ1 | GSM | 850/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| V8 | IHDT56HZ1 | GSM | 850/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| W510 | IHDT56HB1 | GSM | 850/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| W377 | IHDT56GM2 | GSM | 850/1900 | M3 | 2006 | Jul-Dec | n/a |
| W230a | IHDP56HK1 | GSM | 850/1900 | M3 | 2006 | Sep-Dec | n/a |
| Z6w | IHDP56HH1 | GSM | 850/1900 | M3 | 2006 | Jul-Dec | n/a |
| W260 W271 | IHDP56HQ1 | GSM | 850/1900 | M3/T3 | 2006 | Jul-Dec | n/a |
| Aura R1 | IHDT56JY1 | GSM | 850/1900 | M3/T3 | 2007 | Sep-Dec | n/a |
| A1600 | IHDP56HT1 | GSM | 850/1900 | M4/T3 | 2007 | Oct-Dec | n/a |
| W259 | IHDP56HR2 | GSM | 850/1900 | M3/T4 | 2007 | Oct-Dec | n/a |
| EM330 EM28 | IHDP56JJ1 | GSM | 850/1900 | M3/T3 | 2006 | Dec | n/a |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|---------------------|------------------|-------------------------|------------------------|--|
| i265 | AZ489FT5839 | iDEN | 800/900 | Jul-Dec |
| i290 | IHDT56HG1 | iDEN | 800/900 | Jul-Dec |
| I325IS | AZ489FT5830 | iDEN | 800/900 | Jul-Dec |
| i335 | IHDT56HG2 | iDEN | 800/900 | Jul-Dec |
| i355 | AZ489FT5832 | iDEN | 800/900 | Jul-Dec |
| I365IS | IHDP56HJ1 | iDEN | 800/900 | Nov-Dec |
| i425 | IHDT56HH1 | iDEN | 800/900 | Jul-Dec |

| | | | | |
|----------------------|--|--------------|----------|---------|
| i615 | AZ489FT5838 | iDEN | 800/900 | Jul-Dec |
| i930 | AZ489FT5843 | iDEN | 800/900 | Jul-Dec |
| Q9h | IHDT56HW1 | WCDMA GSM | 850/1900 | Jul-Dec |
| V170 | IHDT56EG1 | GSM | 850/1900 | Jul |
| C168 | IHDT56HY1 | GSM | 850/1900 | Jul-Dec |
| W220 | IHDT56GK1 | GSM | 850/1900 | Jul-Dec |
| V195 | IHDT56GA1 | GSM | 850/1900 | Jul-Dec |
| V190 | IHDT56FR1 | GSM | 850/1900 | Jul-Sep |
| C261 | IHDT56FY1 | GSM | 850/1900 | Jul |
| V557 | IHDT56EA1 | GSM | 850/1900 | Jul-Sep |
| Rizr Z3 | IHDT56GY1 | GSM | 850/1900 | Jul-Dec |
| Rokr E8 | IHDP56HB1 | GSM | 850/1900 | Jul-Dec |
| V365 | IHDT56FF1 | GSM | 850/1900 | Jul-Dec |
| U9 | IHDT56HU1 | GSM | 850/1900 | Aug-Dec |
| Krzt K1 | IHDT56GT1 | GSM | 850/1900 | Jul-Dec |
| Q700 | IHDT56HE1 | GSM | 850/1900 | Jul-Dec |
| V3 05 | IHDT56EU2 | GSM | 850/1900 | Jul-Oct |
| Rokr Z6 | IHDT56GG1 | GSM | 850/1900 | Jul-Dec |
| Q11 | IHDT56JV1 (WiFi) IHDT56JV2 (non-WiFi) | GSM | 850/1900 | Dec |
| C139 | IHDT56EX1 | GSM | 850/1900 | Jul-Dec |
| D | IHDT56GF1 | GSM | 850/1900 | Jul-Dec |
| W230 | IHDP56HK2 | GSM | 850/1900 | Jul-Dec |
| W395 W450 | IHDT56HR1 | GSM | 850/1900 | Jul-Dec |
| W175 W180 W181 | IHDP56HF1 | GSM | 850/1900 | Jul-Dec |
| ZN5 | IHDT56JT1 | GSM | 850/1900 | Sep-Dec |

C1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| iDEN | 6 | 11 | 2 | 10 | iDEN | 9 |
| CDMA | 10 | 30 | 2 | 24 | CDMA | 0 |
| WCDMA | 2 | 4 | 2 | 3 | WCDMA | 1 |
| GSM | 13 | 17 | 2 | 12 | GSM | 23 |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

n/a

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

Sections (2a) and (2b) above show single models marketed under separate model name/numbers.

SECTION 5. PRODUCT LABELING INFORMATION

All compliant models have the M- and T-category ratings marked on the exterior of the package.

SECTION 6. CONSUMER OUTREACH EFFORTS

Category ratings for current products are available at <http://www.motorola.com/accessibility>. Also, Motorola sponsored and participated in the 2008 Hearing Loss Association of America (HLAA) and Association of Late Deafened Adults (ALDA) conventions.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (*Service Providers Only*)

n/a

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | |
|--|---|--|
| SECTION 1. COMPANY INFORMATION | | <i>Service Provider:</i> <i>Device Manufacturer:</i> <input checked="" type="checkbox"/> |
| <i>a. Company Name: Nokia Inc.</i> | | <i>b. Contact Name: David J. Dzumba</i> |
| <i>c. Address: 102 Corporate Park Drive</i> | | |
| <i>d. City: White Plains</i> | <i>e. State: NY</i> | <i>f. Zip Code: 10604</i> |
| <i>g. Phone: +1 914-368-0400</i> | <i>h. Fax:</i> | <i>i. Email: david.dzumba@nokia.com</i> |
| <i>j. Company URL for HAC (if applicable):</i> | http://www.nokiaaccessibility.com/hac.html | |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested <small>(Mfs Only)</small> | Months available (Month and Year) | Level of Functionality Classification <small>(SPs Only)</small> |
|--------------|------------|------------------|-----------------|--------------------|--|-----------------------------------|--|
| 1606 | QMNRH-109 | CDMA | 800/1700/1900 | M3/T3 | 2006 04/22/2008 | 09/2008 to 12/2008 | |
| 2605 | QMNRM-339 | CDMA | 800/1900 | M4/T4 | 2006 07/28/2008 | 12/2008 | |
| 6205 | QMNRM-347 | CDMA | 800/1900 | M4/T4 | 2006 11/19/2007 | 07/2008 to 12/2008 | |
| 3555 | QMNRM-257 | WCDMA, GSM | 850/1700/1900 | M3/T3 | 2006 10/01/2007 | 07/2008 to 11/2008 | |
| 6263 | QTKRM-207 | WCDMA, GSM | 850/1700/1900 | M3/T3 | 2006 06/05/2007 | 07/2008 to 12/2008 | |
| 6555 | QMNRM-289 | WCDMA, GSM | 850/1900 | M3/T3 | 2006 05/21/2007 | 07/2008 to 08/2008 | |
| 6650 | QMNRM-324H | WCDMA, GSM | 850/1900 | M3/T3 | 2006 03/26/2008 | 11/2008 to 12/2008 | |
| 2760 | QTLRM-391 | GSM | 850/1900 | M3/T3 | 2006 12/17/2007 | 07/2008 to 12/2008 | |
| 6085 | LJPRM-198H | GSM | 850/1900 | M3/T3 | 2006 09/15/2006 | 07/2008 to 12/2008 | |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|--------------|-----------|------------------|-----------------|-----------------------------------|
|--------------|-----------|------------------|-----------------|-----------------------------------|

| | | | | |
|--------------|-----------|------------|----------|--------------------|
| 2270 | QMNRH-3P | CDMA | 1900 | 07/2008 |
| 6210 | PDNRM-421 | WCDMA, GSM | 850/1900 | 10/2008 to 11/2008 |
| E71 | QMNRM-462 | WCDMA, GSM | 850/1900 | 10/2008 to 11/2008 |
| N95-4 8GB | PDNRM-421 | WCDMA, GSM | 850/1900 | 08/2008 to 09/2008 |
| 1208 | QTLRH-106 | GSM | 850/1900 | 07/2008 to 10/2008 |
| 1600 | QTLRH-65 | GSM | 850/1900 | 07/2008 |
| 1680 | QTLRM-395 | GSM | 850/1900 | 09/2008 to 12/2008 |
| 2600 | QTLRM-341 | GSM | 850/1900 | 10/2008 to 12/2008 |
| 2610 | QTLRH-87 | GSM | 850/1900 | 07/2008 to 12/2008 |
| 2660 | QTLRM-293 | GSM | 850/1900 | 07/2008 to 10/2008 |
| 2680 | QTLRM-393 | GSM | 850/1900 | 10/2008 to 12/2008 |
| 5310 | PPIRM-303 | GSM | 850/1900 | 07/2008 to 12/2008 |
| 5610 | QTKRM-279 | GSM | 850/1900 | 07/2008 to 11/2008 |
| 6086 | LJPRM-188 | GSM | 850/1900 | 07/2008 to 12/2008 |
| 6300 | PPIRM-222 | GSM | 850/1900 | 07/2008 to 10/2008 |
| 6301 | PPIRM-323 | GSM | 850/1900 | 07/2008 to 12/2008 |
| 7610 | PPIRM-354 | GSM | 850/1900 | 11/2008 to 12/2008 |
| N75 | QURRM-128 | GSM | 850/1900 | 07/2008 |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| CDMA | 1 | 3 | 1 | 3 | CDMA | 0 |
| WCDMA | 0 | 2 | 0 | 2 | WCDMA | 0 |
| GSM | 4 | 4 | 2 | 4 | GSM | 8 |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

N/A

SECTION 5. PRODUCT LABELING INFORMATION

Compliant models include M and/or T ratings on the device box. HAC language in user guides.

SECTION 6. CONSUMER OUTREACH EFFORTS

Printed materials

Printed materials available for Nokia and service provider retail outlets.

- Consumer brochure
- Product slicks available printed or electronically.

Inclusion in mainstream online information

HAC ratings under product specifications on applicable product pages. For example, Nokia 1606 [Nokia USA - Nokia 1606 - Technical Specification](#) > Accessibility: Hearing Aid Compatibility Rating:M3/T3.

Models may also include HAC ratings below M3. For example, Nokia 6301 [Nokia USA - Nokia 6301 - Technical specifications](#) > Accessibility: Hearing Aid Compatibility Rating: M2

Hearing loss-specific online information

Consumer information: <http://www.nokiaaccessibility.com/hac.html>

Additional information for customers with hearing loss at <http://www.nokiaaccessibility.com/hearing.html>, <http://www.nokiaaccessibility.com/loopset.html>, <http://www.nokiaaccessibility.com/textphones.html>. Also, <http://www.nokia.com/A4136001?newsid=1233132> and

http://www.nokiaaccessibility.com/images/Nokia_Accessibility_Backgrounder.pdf

Product features for accessibility, including HAC ratings, LPS and TTY connectivity, listed at

<http://www.nokiaaccessibility.com/productFeatures.html>

Additional background information for consumers, "Hearing Aid Compatibility with Digital Wireless Devices,"

<http://www.nokiaaccessibility.com/images/HAC.pdf>

Advocacy support and organizational participation

- Hearing Loss Association of America conventions in Reno, Nevada and Dallas, Texas
- TEITAC participation
- ATIA
- CSUN
- ATIS working groups

Customer care

In addition to training customer care representatives, Nokia Accessibility personnel are available to answer questions and offer assistance.

- Direct phone numbers and e-mail addresses to our offices in print materials.
- Direct e-mails included on our websites.
- Dedicated website addressing only accessibility, www.nokiaaccessibility.com

Nokia has been an active participant in the ongoing development of ANSI C63.19, as well as the ATIS AISP.4-HAC incubator, which, among other activities, addresses interoperability and compatibility of wireless devices with hearing aids as referenced in the C63.19 standard.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (Service Providers Only)

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | | |
|--|--|--|-----------------------------------|
| SECTION 1. COMPANY INFORMATION | | Service Provider: _____ Device Manufacturer: <u> X </u> | |
| a. Company Name: <i>Research In Motion Limited</i> | | b. Contact Name: <i>Dave Dougall</i> | |
| c. Address: <i>295 Phillip Street</i> | | | |
| d. City: <i>Waterloo</i> | | e. State: <i>ON</i> | f. Zip Code: <i>N2L 3W8</i> |
| g. Phone: <i>519-888-7465, ext 75380</i> | | h. Fax: <i>519-888-0415</i> | i. Email: <i>ddougall@rim.com</i> |
| j. Company URL for HAC (if applicable): | | www.blackberry.com/accessibility | |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested (Mfs Only) | Months available (Month and Year) | Level of Functionality Classification (SPs Only) |
|------------------|------------|---|--|--------------------|--|-----------------------------------|--|
| BlackBerry 8130 | L6ARBS20CW | CDMA | 800 / 1900 | M3 / T3 | 2006 10/25/2007 | July'08 – Dec'08 | |
| BlackBerry 8220 | L6ARBY40GW | GSM | 850 / 1900 | M3 / T4 | 2007 09/11/2008 | Oct'08 – Dec'08 | |
| BlackBerry 8310 | L6ARBN40GW | GSM | 850 / 1900 | M3 / T3 | 2006 08/13/2007 | July'08 – Dec'08 | |
| BlackBerry 8320 | L6ARBJ40GW | GSM | 850 / 1900 | M3 / T3 | 2006 08/28/2007 | July'08 – Dec'08 | |
| BlackBerry 8330 | L6ARBU20CW | CDMA | 800 / 1900 | M4 / T4 | 2006 04/01/08 | July'08 – Dec'08 | |
| BlackBerry 8350i | L6ARCD20IN | iDEN | 800 / 900 | M3 | 2007 11/12/2008 | Nov'08 – Dec'08 | |
| BlackBerry 8705 | L6ARBH40GW | GSM | 850 / 1900 | M3 / T3 | 2006 08/16/2006 | July'08 – Nov'08 | |
| BlackBerry 8705g | L6ARBH40GW | GSM | 850 / 1900 | M3 / T3 | 2006 08/16/2006 | July'08 – Nov'08 | |
| BlackBerry 8830 | L6ARBK40CG | CDMA | 800 / 1900 | M4 / T4 | 2007 12/22/2008 | July'08 – Dec'08 | |
| BlackBerry 9530 | L6ARBW70CW | CDMA (only CDMA bands are available for use in standard out of box configuration; GSM bands not available for use in standard configuration) | 800/ 1900 (only CDMA bands are available for use in standard out of box configuration; 850/ 1900 GSM bands not available for use in standard configuration) | M3 | 2007 10/21/08 | Nov'08 – Dec'08 | |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|------------------------|------------|------------------|-----------------|-----------------------------------|
| BlackBerry 8100/ 8100c | L6ARBE40GW | GSM | 850 / 1900 | July'08 – Sept'08 |
| BlackBerry 8110 | L6ARBQ40GW | GSM | 850 / 1900 | July'08 – Dec'08 |

| | | | | |
|------------------------|------------|-------------|------------|-------------------|
| BlackBerry 8120 | L6ARBR40GW | GSM | 850 / 1900 | July'08 – Dec'08 |
| BlackBerry 8300 | L6ARBP40GW | GSM | 850 / 1900 | July'08 – July'08 |
| BlackBerry 8700c/8700g | L6ARAT40GW | GSM | 850 / 1900 | July'08 – Nov'08 |
| BlackBerry 8800 | L6ARBM40GW | GSM | 850 / 1900 | July'08 – Dec'08 |
| BlackBerry 8820 | L6ARBG40GW | GSM | 850 / 1900 | July'08 – Dec'08 |
| BlackBerry 9000 | L6ARBT70UW | GSM / WCDMA | 850 / 1900 | Nov'08 – Dec'08 |
| | | | | |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| CDMA | 2 | 4 | 2 | 3 | CDMA | 0 |
| GSM | 2 | 3 | 2 | 3 | GSM | 5 |
| iDEN | 0 | 1 | 0 | 0 | iDEN | 0 |
| WCDMA | 0 | 0 | 0 | 0 | WCDMA | 1 |
| | | | | | | |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

8100/ 8100c - L6ARBE40GW
8700c/8700g - L6ARAT40GW

SECTION 5. PRODUCT LABELING INFORMATION

All BlackBerry devices rated for hearing aid compatibility include product box packaging labels with the M/T ratings according to the labeling recommendations from ATIS WG-6. Within the box, the manual contains an outline explaining the HAC ratings which is based on the recommended description from WG-6.

All BlackBerry devices rated for hearing aid compatibility with the Wi-Fi air interface disclose that the device has not been tested for hearing aid compatibility with respect to its Wi-Fi voice operation as per the recommended description developed by ATIS WG-6.

SECTION 6. CONSUMER OUTREACH EFFORTS

During 2008, RIM has exhibited at the following events allowing consumers to test out various HAC compliant models:

- 2008 Hearing Loss Association of America (HLAA) Convention – Reno NV
- 2008 National Association of the Deaf (NAD) Convention – New Orleans, MS
- 2008 Canadian Hard of Hearing Association/International Federation on Hard of Hearing (CHHA/IFHOH) Convention, Vancouver, BC
- 2008 Telecommunications Equipment Distribution Program Administrators (TEDPA) Conference, Boston MA
- BlackBerry smartphone models rated for HAC have their HAC ratings listed on the Specifications tab of their respective product information pages on www.blackberry.com.
- The listing of BlackBerry devices that are HAC rated and an explanation of the HAC ratings are available from links at

the following site: www.blackberry.com/accessibility

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (*Service Providers Only*)

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | | |
|---|--|--|---|
| SECTION 1. COMPANY INFORMATION | | Service Provider: <u> x </u> Device Manufacturer: _____ | |
| <p>a. <i>Company Name:</i> Rural Cellular Corp. (a subsidiary of Cellco Partnership d/b/a Verizon Wireless). This report also covers the offering of hearing-aid compatible handsets in cellular market areas the day-to-day control over which was transferred to a management trustee on January 9, 2009 as a condition to the approval of the acquisition of ALLTEL by Verizon Wireless, pending the divestiture of wireless assets and spectrum in those markets.¹</p> | | <p>b. <i>Contact Name:</i> Michael Samsock</p> | |
| c. <i>Address:</i> 1300 I Street, NW – Suite 400 West | | | |
| d. <i>City:</i> Washington | | e. <i>State:</i> DC | f. <i>Zip Code:</i> 20005 |
| g. <i>Phone:</i> 202-589-3768 | | h. <i>Fax:</i> 202-589-3750 | i. <i>Email:</i> michael.samsock@verizonwireless.com |
| j. <i>Company URL for HAC (if applicable):</i> | | www.unicel.com/accessibility | |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested <small>(Mfs Only)</small> | Months available <small>(Month and Year)</small> | Level of Functionality Classification <small>(SPs Only)</small> |
|--------------------|-----------------|------------------|----------------------|--------------------|--|---|--|
| Nokia 6085 | LJPRM-260 | GSM | 850/1900 | M3T3 | N/A | 8/2007 | Better - EDGE |
| Nokia 2760 | QTLRM-391 | GSM | 850/1900 | M3T3 | N/A | 11/2008 | Good - EDGE |
| Sony Ericsson W580 | PY7A105204 2 | GSM | 850/1900 900/1800 | M3T3 | N/A | 11/2007 | Best – EDGE |
| Motorola V3 06 | IHDT56HJ1 | GSM | 850/1900 | M3T3 | N/A | 6/2007 | Better - EDGE |
| Motorola V8 | IHDT56HZ2 | GSM | 850/1900 | M3T3 | N/A | 11/2007 | Elite and Smartphone - EDGE |
| Motorola W230a | IHDP56HK1 | GSM | 850/1900 | M3T3 | N/A | 11/2008 | Good - EDGE |

¹ See Applications of Cellco Partnership d/b/a Verizon Wireless and Atlantis Holdings LLC for Consent to Transfer Control of Licenses, Authorizations, and Spectrum Manager and De Facto Transfer Leasing Arrangements, Memorandum Opinion and Order and Declaratory Ruling, FCC 08-258 (rel. Nov. 10, 2008) (“Verizon Wireless-ALLTEL Merger Order”).

| | | | | | | | |
|---------------|------------|------|----------|----------------------|-----|--------------------------------|---------------------------------|
| Motorola W510 | IHDT56HB2 | GSM | 850/1900 | M3T3 | N/A | 11/2007 | Better - EDGE |
| Motorola K1m | IHDT56GH1 | CDMA | 850/1900 | M4T4 | N/A | 3/2007 | Best – 1x |
| Motorola Z6m | IHDT56GU1 | CDMA | 850/1900 | M4 No T Rating | N/A | 11/2007 | Best – 1x |
| Motorola V9 | IHDT56HT1 | CDMA | 850/1900 | M4T4 | N/A | 11/2007 | Best – 1x |
| Motorola V3M | IHDT56FT1 | CDMA | 850/1900 | M4T4 | N/A | 10/2007 | Best – 1x |
| Motorola V3a | IHDT56HD1 | CDMA | 850/1900 | M3T3 | N/A | 11/2007 | Better – 1x |
| Motorola W385 | IHDT56HC1 | CDMA | 850/1900 | M4T4 | N/A | 11/2007 | Better – 1x |
| Motorola W315 | IHDT56GE1 | CDMA | 850/1900 | M3 No T Rating | N/A | 3/2007 | Good – 1x |
| Nokia 2135 | QMN RH-108 | CDMA | 850/1900 | M3T4 | N/A | EOL 4 th quarter | Good – 1x |
| Motorola Q9C | IHDT56FQ1 | CDMA | 850/1900 | M3 No T Rating | N/A | 10/2008 | Best – 1x |
| Treo 700WX | 08FJIMI | CDMA | 850/1900 | M3 No T Rating | N/A | 3/2007 | Elite and Smartphone – 1x |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|--------------|---------------|------------------|-----------------|-----------------------------------|
| Motorola Z6 | IHDT56GG1 | GSM | 850/1900 | 11/2007 |
| Nokia 5310 | PPIRM-304 | GSM | 850/1900 | 6/2008 |
| HTC 621 | NM8EXCA | GSM | 850/1900 | 11/2007 |
| Motorola Q9e | IHDT56HW1 | GSM | 850/1900 | 9/2008 |
| HP 510 | B94HSTNH-F13C | GSM | 850/1900 | EOL |
| | | | | |
| | | | | |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| | | | | | | |
| CDMA | 5 | 10 | 3 | 6 | CDMA | 0 |
| GSM | 6 | 7 | 4 | 7 | GSM | 5 |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

Compliant Phones are available in all of Carrier's retail outlets.

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

n/a

SECTION 5. PRODUCT LABELING INFORMATION

Carrier typically relies upon its Vendors to label all products prior to their shipment to Carrier's retail locations. The Compliant Phones offered by Carrier contain M3 and M3T product labeling and additional information.

SECTION 6. CONSUMER OUTREACH EFFORTS

Compliant Phones are being publicly identified for consumers and audiologists. Compliant phones are listed on Carrier's web site, and the information is being communicated to consumer groups. Carrier trains its retail salespeople regarding which digital wireless phones are compliant. Written materials, pamphlets and other promotional literature are provided at the point of sale, addressing the needs of individuals with hearing disabilities. Consumers are given a 30-day trial period within which to try out digital wireless phones to determine whether they will work properly with their hearing aids. Flexible return policies apply to consumers seeking to obtain Compliant Phones. Toward this end, Carrier has specifically instructed its sales force to make this policy known to consumers, and to assure that the flexible policy is administered to HAC phone users. Current technical and anecdotal information is made available to the public regarding the hearing aid compatibility of Carrier's Compliant Phones, occasionally in the form of handouts from Motorola, Nokia and LG that are distributed at retail centers and in all communications with the hearing disabilities community.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (Service Providers Only)

Carrier sorts phones by the categories set forth below. The categories are determined by price as well as functionality.

Good: Devices support basic voice applications and some limited messaging capabilities. They have smaller screens and traditional keyboards. Only a few models support Bluetooth technology.

Better: Devices support higher data speeds utilizing networks of 1XRTT and GPRS/EDGE. They have cameras features with high resolution, larger screen displays and enhanced features like voice and video recording.

Best: Devices utilize advance operating systems and support increased data download and storage. May include improve sound quality for music features. The screen displays are larger and some include touch screens. Most include higher resolution camera features.

Elite and Smart Phone: Devices that support advance messaging capabilities may have QWERTY keyboards and support Palm and Microsoft Operating Systems.

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | | |
|--|--|-----------------------------------|----------------------------------|
| SECTION 1. COMPANY INFORMATION | | Service Provider: _____ | |
| | | Device Manufacturer: <u> X </u> | |
| a. Company Name: Samsung Telecommunications America | | b. Contact Name: Kendra M. Green | |
| c. Address: 1301 E. Lookout Drive | | | |
| d. City: Richardson | | e. State: TX | f. Zip Code: 75104 |
| g. Phone: 972-761-7123 | | h. Fax: 972-761-7678 | i. Email: kgreen@sta.samsung.com |
| j. Company URL for HAC: http://www.samsung.com/us/consumer/learningresources/mobile/accessibility/pop_accessibility.html | | | |

SECTION 2. PHONE MODEL INFORMATION

Samsung offered a total of 54 compliant models over three air interface protocols (or combination of protocols): CDMA; GSM; and WCDMA combined with GSM.

a. Compliant Phone Models

| Model | FCC ID(s) | Air Interface(s) | Band(s) | ANSI C63.19 Rating | ANSI C63.19 version Used & Date Tested * (Mfs Only) | Months available | Level of Functionality Classification (SPs Only) |
|----------|------------|------------------|----------|--------------------|---|------------------|---|
| SGH-A437 | A3LSGHA437 | GSM | 850/1900 | M3/T3 | 2006 12/7/07 | July-Sept | SP defined |
| SGH-A436 | A3LSGHA437 | GSM | 850/1900 | M3/T3 | 2006 12/7/07 | July-Sept | SP defined |
| SGH-A767 | A3LSGHA767 | GSM/WCDMA | 850/1900 | M3/T4 | 2007 9/19/08 | Sept-Dec | SP defined |
| SGH-A737 | A3LSGHA737 | GSM/WCDMA | 850/1900 | M3/T3 | 2006 9/14/07 | July-Dec | SP defined |
| SGH-A747 | A3LSGHA747 | GSM/WCDMA | 850/1900 | M3 | 2006 10/17/07 | July-Dec | SP defined |
| SGH-A777 | A3LSGHA777 | GSM/WCDMA | 850/1900 | M3/T3 | 2007 9/24/08 | Sept-Dec | SP defined |
| SGH-A837 | A3LSGHA837 | GSM/WCDMA | 850/1900 | M3/T3 | 2006 5/22/08 | July-Dec | SP defined |
| SGH-I907 | A3LSGHI907 | GSM/WCDMA | 850/1900 | M3 | 2007 6/6/08 | July-Dec | SP defined |
| SGH-A867 | A3LSGHA867 | GSM/WCDMA | 850/1900 | M3 | 2007 9/22/08 | Sept-Dec | SP defined |
| SGH-T439 | A3LSGHT439 | GSM | 850/1900 | M3/T3 | 2006 10/18/07 | July-Sept | SP defined |
| SGH-T229 | A3LSGHT229 | GSM | 850/1900 | M3/T3 | 2006 | July- | SP |

*Samsung uses a FCC approved TCB, PC Test Lab, for HAC certifications

| | | | | | | | |
|----------|------------|------------------------|---------------|-------|------------------|---------------|---------------|
| | | | | | 3/20/08 | Dec | defined |
| SGH-T339 | A3LSGHT339 | GSM (Wi-Fi enabled) | 850/1900 | M3/T3 | 2006 4/7/08 | July- Dec | SP defined |
| SGH-T929 | A3LSGHT929 | GSM/WCDMA | 850/1900/1700 | M3 | 2007 12/15/08 | Dec | SP defined |
| SGH-T919 | A3LSGHT919 | GSM/WCDMA | 850/1900/1700 | M3 | 2007 9/5/08 | Sept - Dec | SP defined |
| SGH-T459 | A3LSGHT459 | GSM | 850/1900 | M3 | 2007 9/22/08 | Sept - Dec | SP defined |
| SCH-U410 | A3LSCHU410 | CDMA | 800/1900 | M3/T3 | 2006 4/17/07 | July- Dec | SP defined |
| SCH-U550 | A3LSCHU550 | CDMA | 800/1900 | M4/T4 | 2006 3/17/08 | July- Dec | SP defined |
| SCH-U740 | A3LSCHU710 | CDMA | 800/1900 | M4 | 2006 9/15/06 | July- Dec | SP defined |
| SCH-U340 | A3LSCHU340 | CDMA | 800/1900 | M4/T4 | 2006 1/10/07 | July- Dec | SP defined |
| SCH-U540 | A3LSCHU540 | CDMA | 800/1900 | M4/T4 | 2006 2/28/07 | July- Dec | SP defined |
| SCH-U700 | A3LSCHU700 | CDMA | 800/1900 | M4 | 2006 6/21/07 | July- Dec | SP defined |
| SCH-U900 | A3LSCHU900 | CDMA | 800/1900 | M3T3 | 2006 8/8/07 | July- Dec | SP defined |
| SCH-U470 | A3LSCHU470 | CDMA | 800/1900 | M3 | 2006 1/3/08 | July- Dec | SP defined |
| SCH-U940 | A3LSCHU940 | CDMA | 800/1900 | M4 | 2006 12/11/07 | July- Dec | SP defined |
| SCH-U310 | A3LSCHU310 | CDMA | 800/1900 | M4/T4 | 2007 6/24/08 | July- Dec | SP defined |
| SCH-U430 | A3LSCHU430 | CDMA | 800/1900 | M4/T4 | 2006 4/30/08 | July- Dec | SP defined |
| SCH-U650 | A3LSCHU650 | CDMA | 800/1900 | M4 | 2007 07/25/08 | July- Dec | SP defined |
| SPH-M310 | A3LSPHM310 | CDMA | 1900 | M4/T4 | 2006 2/25/08 | July- Dec | SP defined |
| SPH-M520 | A3LSPHM520 | CDMA | 800/1900 | M4 | 2006 4/18/07 | July- Dec | SP defined |
| SPH-I325 | A3LSPHI325 | CDMA | 800/1900 | M3/T3 | 2006 11/05/07 | July- Dec | SP defined |
| SPH-M800 | A3LSPHM800 | CDMA | 800/1900 | M3/T3 | 2006 3/28/08 | July- Dec | SP defined |
| SPH-Z400 | A3LSPHZ400 | CDMA | 800/1900 | M4 | 2006 6/4/08 | July- Dec | SP defined |
| SPH-M300 | A3LSPHM300 | CDMA | 800/1900 | M4/T4 | 2006 3/27/07 | July- Dec | SP defined |
| SPH-M540 | A3LSPHM540 | CDMA | 800/1900 | M3/T3 | 2007 8/25/08 | Aug- Dec | SP defined |
| SPH-M630 | A3LSPHM630 | CDMA | 800/1900 | M4 | 2007 8/19/08 | Aug- Dec | SP defined |
| SPH-M220 | A3LSPHM220 | CDMA | 800/1900 | M4/T4 | 2007 6/26/08 | July- Dec | SP defined |

*Samsung uses a FCC approved TCB, PC Test Lab, for HAC certifications

| | | | | | | | |
|----------|-------------|-----------|---------------|-------|------------------|--------------|---------------|
| SPH-M320 | A3LSPHM320 | CDMA | 800/1900 | M4/T4 | 2007 6/26/08 | July- Dec | SP defined |
| SPH-M620 | A3LSPHM620 | CDMA | 800/1900 | M4 | 2006 6/22/08 | July- Dec | SP defined |
| SCH-R800 | A3LSCHR800 | CDMA | 800/1900 | M4/T3 | 2007 8/29/08 | Aug- Dec | SP defined |
| SCH-U706 | A3LSCHU706 | CDMA | 800/1900 | M4 | 2006 11/2/07 | July- Dec | SP defined |
| SCH-R500 | A3LSCHR500 | CDMA | 800/1900 | M4 | 2006 3/28/07 | July- Dec | SP defined |
| SCH-R430 | A3LSCHR430 | CDMA | 800/1900 | M4 | 2006 5/1/08 | July- Dec | SP defined |
| SCH-R450 | A3LSCHR450 | CDMA | 800/1700/1900 | M4 | 2007 8/15/08 | Aug- Dec | SP defined |
| SCH-R210 | A3LSCHR210A | CDMA | 800/1900 | M3 | 2006 5/1/08 | July- Dec | SP defined |
| SCH-U520 | A3LSCHU520 | CDMA | 800/1900 | M4 | 2006 10/12/06 | July- Dec | SP defined |
| SCH-R610 | A3LSCHR610 | CDMA | 800/1900 | M3/T3 | 2006 10/15/07 | July- Dec | SP defined |
| SPH-A120 | A3LSPHA120 | CDMA | 800/1900 | M4/T4 | 2006 9/21/06 | July- Dec | SP defined |
| SPH-A523 | A3LSPHA523 | CDMA | 800/1900 | M4 | 2006 8/21/07 | July- Dec | SP defined |
| SPH-A303 | A3LSPHA303 | CDMA | 800/1900 | M4 | 2006 1/22/07 | July- Dec | SP defined |
| SCH-R550 | A3LSCHR550 | CDMA | 800/1700/1900 | M4 | 2007 6/12/08 | July- Dec | SP defined |
| SGH-I627 | A3LSGHI627 | GSM/WCDMA | 850/1900 | M3 | 2007 10/17/08 | Oct - Dec | SP defined |
| SCH-U810 | A3LSCHU810 | CDMA | 800/1900 | M3/T4 | 2007 7/28/08 | July- Dec | SP defined |
| SCH-I910 | A3LSCHI910 | CDMA | 800/1900 | M4 | 2007 8/28/08 | Aug- Dec | SP defined |
| SCH-U440 | A3LSCHU440 | CDMA | 800/1900 | M4/T4 | 2007 5/13/08 | July- Dec | SP defined |
| SCH-I770 | A3LSCHI770 | CDMA | 800/1900 | M4 | 2006 5/2/08 | July- Dec | SP defined |

b. Non-Compliant Phone Models

| Model | FCC ID(s) | Air Interface(s) | Band(s) | Months available |
|--------------|-------------------------------|-------------------------|----------------|-------------------------|
| SGH-A117 | A3LSGHA117 | GSM | 850/1900 | July-Nov |
| SGH-A127 | A3LSGHA127 | GSM | 850/1900 | July-Dec |
| SGH-A137 | A3LSGHA137 | GSM | 850/1900 | Aug-Dec |
| SGH-A237 | A3LSGHA237 | GSM | 850/1900 | July-Dec |
| SGH-I617 | A3LSGHI617 | GSM/WCDMA | 850/1900 | July-Dec |
| SGH-A827 | A3LSGHA827 | GSM/WCDMA | 850/1900 | July-Dec |
| SGH-T429 | A3LSGHT429 | GSM | 850/1900 | July-Dec |
| SGH-T539 | A3LSGHT539 | GSM | 850/1900 | July-Sept |
| SGH-T639 | A3LSGHT639 | GSM/WCDMA | 850/1900 | July-Dec |
| SGH-T729 | A3LSGHT729 | GSM | 850/1900 | July-Dec |
| SGH-T739 | A3LSGHT739 (Wi-Fi enabled) | GSM | 850/1900 | July-Dec |

*Samsung uses a FCC approved TCB, PC Test Lab, for HAC certifications

| | | | | |
|----------|------------|-----------|----------|----------|
| SGH-T819 | A3LSGHT819 | GSM/WCDMA | 850/1900 | July-Dec |
| SGH-A227 | A3LSGHA227 | GSM | 850/1900 | July-Dec |
| SGH-A226 | A3LSGHA227 | GSM | 850/1900 | July-Dec |
| SGH-T109 | A3LSGHT109 | GSM | 850/1900 | Aug-Dec |
| SGH-T419 | A3LSGHT419 | GSM | 850/1900 | Oct-Dec |
| SCH-I760 | A3LSCHI760 | CDMA | 800/1900 | July-Dec |
| SGH-A637 | A3LSGHA637 | GSM/WCDMA | 850/1900 | Aug-Dec |

| c1. Total Number of Compliant Models by Air Interface as of Dec. 31, 2008 | | | | | c2. Total Number of Non-Compliant Models by Air Interface as of Dec. 31, 2008 | |
|--|---------------------|-------------------|---------------------|-------------------|--|-------------------------|
| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
| CDMA | 13 | 39 | 2 | 19 | CDMA | 1 |
| GSM | 8 | 13 | 2 | 6 | GSM | 14 |
| GSM/WCDMA | 4 | 10 | 2 | 4 | GSM/WCDMA | 5 |

SECTION 3. RETAIL Availability of Compliant Models (Service Providers Only)

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

SGH-A436 FCC ID: A3LSGHA437
 SGH-A437 FCC ID: A3LSGHA437
 SGH-A226 FCC ID: A3LSGHA227
 SGH-A227 FCC ID: A3LSGHA227

SECTION 5. PRODUCT LABELING INFORMATION

Product labeling for HAC certified phones is provided on the packaging material for each of the above models. Information about HAC ratings and the rating system is available in the product manual for each of the above models as well, and at Samsung’s Wireless Accessibility website at http://www.samsung.com/us/consumer/learningresources/mobile/accessibility/pop_accessibility.html. All HAC handsets with the Wi-Fi air interface also have clear and effective disclosure that the handset has not been tested for hearing aid compatibility with respect to Wi-Fi voice operation (although to date only the SGH-T339 is offered for Wi-Fi voice operation).

SECTION 6. CONSUMER OUTREACH EFFORTS

Samsung has participated in consumer outreach efforts as a member of the ATIS HAC Incubator to sponsor the development of the W-RERC video to educate consumers on how to choose the right wireless phone for their hearing aid device. Samsung also participated in industry efforts to develop model language for HAC labels. Samsung also provides HAC and other accessibility information for its handset models via its website and participated in an industry-supported “Accessibility Fair” with other manufacturers on Capitol Hill in Washington, DC.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (Service Providers Only)

*Samsung uses a FCC approved TCB, PC Test Lab, for HAC certifications

N/A

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | | |
|---|--|---|---|
| SECTION 1. COMPANY INFORMATION | | Service Provider: _____ Device Manufacturer: <u> X </u> | |
| a. Company Name: Sony Ericsson Mobile Communications (USA) Inc | | b. Contact Name: Steven G. Coston | |
| c. Address: 7001 Development Drive | | | |
| d. City: Research Triangle Park | | e. State: North Carolina | f. Zip Code: 27709 |
| g. Phone: (919) 536-5727 | | h. Fax: (919) 536-4913 | i. Email: steve.coston@sonyericsson.com |
| j. Company URL for HAC (if applicable): www.sonyericsson-snc.com | | | |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested (Mfs Only) | Months available (Month and Year) | Level of Functionality Classification (SPs Only) |
|--------------|-------------|------------------|------------------------|--------------------|--|-----------------------------------|--|
| S500i | PY7A1052041 | GSM | 850/1900 | M3 T3 | 2006 | 07-2008 | |
| W580i | PY7A1052042 | GSM | 850/1900 | M3 T3 | 2006 | 07-2008 | |
| W760a | PY7A3252041 | GSM/UMTS | 850/1900/2100 | M3 T3 | 2007 | 10-2008 | |
| W760i | PY7A3252041 | GSM/UMTS | 850/900/1800/1900/2100 | M3 T3 | 2006 | 09-2008 | |
| W710 | PY7AF042011 | GSM | 850/1900/900/1800 | M3 T3 | 2006 | 07-2008 | |
| W712 | PY7AF042011 | GSM | 850/1900 | M3 T3 | 2006 | 07-2008 | |
| Z310a | PY7A1032021 | GSM | 850/1900 | M3 | 2006 | 07-2008 | |
| Z750a | PY7A3252023 | GSM/UMTS | 850/900/1900/2100 | M3 T3 | 2006 | 07-2008 | |
| Z710 | PY7AF042012 | GSM | 850/1900/900/1800 | M3 T3 | 2006 | 07-2008 | |
| Z712 | PY7AF042012 | GSM | 850/1900 | M3 T3 | 2006 | 07-2008 | |
| | | | | | | | |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|--------------|-------------|------------------|-----------------|-----------------------------------|
| C702a | PY7A1052141 | GSM/EDGE | 850/1900 | 07-2008 |
| C902 | PY7A3052101 | GSM/UMTS | 850/1900 | 07-2008 |
| C905a | PY7A1052151 | GSM/UMTS | 850/1900 | 11-2008 |
| K550 | PY7A1052021 | GSM/UMTS | 850/1900 | 07-2008 |
| K790 | PY7AF032011 | GSM/UMTS | 850/1800/1900 | 07-2008 |
| K850i | PY7A3252011 | GSM/UMTS | 850/1900/2100 | 07-2008 |
| P-1i | PY7FD022015 | GSM/UMTS | 1900/2100 | 07-2008 |
| TM506 | PY7A3132011 | GSM/UMTS | 850/1900/1700 | 10-2008 |
| W200 | PY7A1032013 | GSM/EDGE | 850/1800/1900 | 07-2008 |
| W350a | PY7A1032061 | GSM/EDGE | 850/1900 | 07-2008 |

| | | | | |
|-------|-------------|----------|---------------|---------|
| W380a | PY7A1032051 | GSM/EDGE | 850/1900 | 07-2008 |
| W595 | PY7A1052191 | GSM/EDGE | 850/1900 | 07-2008 |
| W610 | PY7A1052022 | GSM/EDGE | 850/1900 | 07-2008 |
| X1 | PY7A3880002 | GSM/UMTS | 850/1900/2100 | 11-2008 |
| Z550a | PY7A1052031 | GSM/EDGE | 850/1900 | 07-2008 |
| Z555a | PY7A1032052 | GSM/GPRS | 850/1900 | 07-2008 |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| GSM | 8 | 9 | 2 | 8 | GSM | 16 |
| UMTS | 3 | 3 | 2 | 3 | UMTS | 8 |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

SECTION 5. PRODUCT LABELING INFORMATION

Sony Ericsson mobiles are labeled (ex. 'Rated for Hearing Aids: M3 T3') on the DPY packaging label in compliance with the FCC requirements for box labeling. The in-box documentation for HAC compliant models also has the supportive text providing info on HA compatibility, the rating, and the general information on Sony Ericsson Special Needs Center for the consumer.

SECTION 6. CONSUMER OUTREACH EFFORTS

Sony Ericsson product support is available through either the web sites www.sonyericsson-snc.com or www.sonyericsson.com. SEM-SNC continues to meet with various Audiologists and HA manufacturers, through HITEC, to provide information, brochures, and FAQ's to assist them in their direct conversations with consumers regarding available and compatible HAC wireless devices. HITEC continues to support over 2,000 audiologists and special needs equipment dealers nationally. Information on HAC is also being circulated to these groups. Additional wireless / HAC information can be found on the CTIA www.accesswireless.org web site, or ATIS www.atis.org

Sony Ericsson continues to participate as an exhibitor in all HLAA Exhibitors Conferences allowing consumers to try wireless devices with their hearing aids worn. SEM provided mobile products at the HLAA 2008 (Hearing Loss Association of America) conference held in Reno, Nevada. Sony Ericsson has an ongoing dialogue with various consumer advocacy groups through its Special Needs Center partnership with HITEC Group International. HITEC has been in business for over 23 years and is a nationally and internationally recognized provider of assistive technology. Sony Ericsson combined with HITEC's experience are able to reach a larger group of consumers, advocacy groups, and consult with audiologists and professionals on the latest hearing aids, in our outreach efforts.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (Service Providers Only)

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | | |
|---|---------------|--|--|
| SECTION 1. COMPANY INFORMATION | | Service Provider: <u> X </u> Device Manufacturer: _____ | |
| a. Company Name: Sprint Nextel | | b. Contact Name: Paula E. Hall | |
| c. Address: 12000 Sunrise Valley Drive | | | |
| d. City: Reston | e. State: VA | f. Zip Code: 20191 | |
| g. Phone: 703-433-3286 | h. Fax: _____ | i. Email: Paula.Hall@Sprint.com | |
| j. Company URL for HAC: www.sprint.com/accessibility | | | |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested (Mfs Only) | Months available (Month and Year) | Level of Functionality Classification |
|------------------------|-------------|---------------|-----------------|--------------------|--|-----------------------------------|---------------------------------------|
| Motorola i365 | IHDP56HJ1 | iDen | 800/900 MHz | M3/T3 | | 09/08 | Low-Tier |
| Motorola i560 | AZ489FT5844 | iDen | 800/900 MHz | M3 | | 09/05 | Low-Tier |
| Motorola i576 | IHDP56HS1 | iDen | 800/900 MHz | M4/ T4 | | 11/08 | Low-Tier |
| Motorola i580 | AZ489FT5848 | iDen | 800/900 MHz | M3/T3 | | 06/06 | Mid-Tier |
| Motorola i670 | AZ489FT5844 | iDen | 800/900 MHz | M3/T3 | | 06/06 | Mid-Tier |
| Motorola i760 | AZ489FT5844 | iDen | 800/900 MHz | M3 | | 09/05 | Mid-Tier |
| Motorola i776 | IHDP56HS1 | iDen | 800/900 MHz | M3/ T3 | | 10/08 | Mid-Tier |
| Motorola i836 | AZ489FT5828 | iDen | 800/900 MHz | M3 | | 06/05 | Mid-Tier |
| Motorola i850 | AZ489FT5844 | iDen | 800/900 MHz | M3/T3 | | 09/05 | Mid-Tier |
| Motorola i880 | AZ489FT5853 | iDen | 800/900 MHz | M3 | | 11/06 | High-Tier |
| Motorola ic402 | AZ489FT7019 | CDMA | 800/1900 MHz | M4 | | 12/06 | Mid-Tier |
| Blackberry 8350i | L6ARBU20CW | iDen | 800/900 MHz | M3 | | 12/08 | High-Tier |
| 8130 by BlackBerry | L6ARBS20CW | CDMA | 800/1900 MHz | M3/T3 | | 06/08 | High-Tier |
| 8703e by BlackBerry | L6ARBF20CW | CDMA | 800/1900 MHz | M4/T4 | | 06/08 | High-Tier |
| 8830 by BlackBerry | L6ARBK40CG | CDMA | 800/1900 MHz | M4/T4 | | 7/07 | High-Tier |
| BlackBerry® Curve 8330 | L6ARBU20CW | CDMA | 800/1900 MHz | M4/T4 | | 7/07 | High-Tier |
| Mogul by HTC (PPC6800) | NM8TITA100 | CDMA | 800/1900 MHz | M4/T4 | | 12/07 | High-Tier |
| Touch Diamond | NM8DIAM500 | CDMA | 800/1900 MHz | M4 | | 12/08 | High-Tier |

| | | | | | | | |
|---------------------------------------|-------------|------|--------------|-------|--|-------|-----------|
| by HTC | | | | | | | |
| Touch by HTC (PPC6900) | NM8VOGU100 | CDMA | 800/1900 MHz | M3 | | 10/07 | High-Tier |
| LG Lotus | BEJLX600 | CDMA | 800/1900 MHz | M3/T3 | | 11/08 | Mid-Tier |
| LX160 by LG | BEJLX160 | CDMA | 800/1900 MHz | M4 | | 12/07 | Low-Tier |
| LX400 by LG | BEJLX400 | CDMA | 800/1900 MHz | M4/T4 | | 06/08 | High-Tier |
| Muziq by LG (LX-570 or Fusic II) | BEJLX570 | CDMA | 800/1900 MHz | M4/T4 | | 12/07 | High-Tier |
| Rumor by LG (LX260) | BEJLX260 | CDMA | 800/1900 MHz | M3/T3 | | 10/08 | Low-Tier |
| Buzz ic502 by Motorola | AZ489FT7019 | CDMA | 800/1900 MHz | M4/T4 | | 11/07 | Mid-Tier |
| Deluxe ic902 by Motorola | IHDT56GP1 | CDMA | 800/1900 MHz | M4/T4 | | 12/07 | High-Tier |
| MOTO Q 9c by Motorola | IHDT56HS1 | CDMA | 800/1900 MHz | M3 | | 06/08 | High-Tier |
| MOTO Q by Motorola | IHDT56FQ1 | CDMA | 800/1900 MHz | M3 | | 10/07 | High-Tier |
| MOTORAZR V3m by Motorola | IHDT56FT1 | CDMA | 800/1900 MHz | M4/T4 | | 12/07 | Mid-Tier |
| MOTORAZR ² V9m by Motorola | IHDT56HT1 | CDMA | 800/1900 MHz | M4 | | 9/07 | Mid-Tier |
| MOTORAZR VE20 by Motorola | IHDT56JM1 | CDMA | 800/1900 MHz | M4/T4 | | 9/08 | High-Tier |
| Motorola Renegade™ V950 | IHDT56JA1 | CDMA | 800/1900 MHz | M4/T4 | | 9/08 | High-Tier |
| Buzz+ ic602 by Motorola | AZ489FT7019 | CDMA | 800/1900 MHz | M4/T4 | | 5/08 | Mid-Tier |
| Centro by Palm (690) | O8F-747 | CDMA | 800/1900 MHz | M4/T4 | | 11/07 | High-Tier |
| Palm Treo 800w | O8F-715 | CDMA | 800/1900 MHz | M3/T3 | | 7/08 | High-Tier |
| Treo 700wx by Palm | O8FJIMI | CDMA | 800/1900 MHz | M3 | | 9/07 | High-Tier |
| Treo 755p by Palm | O8F-895 | CDMA | 800/1900 MHz | M4/T4 | | 7/08 | High-Tier |
| M220 by Samsung | A3LSPHM220 | CDMA | 800/1900 MHz | M4/T4 | | 9/08 | Low-Tier |
| M300 by Samsung | A3LSPHM300 | CDMA | 800/1900 MHz | M4/T4 | | 11/07 | Low-Tier |
| M320 by Samsung | A3LSPHM320 | CDMA | 800/1900 MHz | M4/T4 | | 9/08 | Mid-Tier |
| M520 by Samsung | A3LSPHM520 | CDMA | 800/1900 MHz | M4 | | 9/08 | Mid-Tier |
| Samsung A580 | A3LSPHA580 | CDMA | 800/1900 MHz | M3 | | 4/06 | Low-Tier |
| Samsung ACE | A3LSPHI325 | CDMA | 800/1900 MHz | M3/T3 | | 10/08 | High-Tier |
| Samsung High note | A3LSPHM630 | CDMA | 800/1900 MHz | M4 | | 10/08 | High-Tier |
| Samsung | A3LSPHM800 | CDMA | 800/1900 MHz | M3/T3 | | 11/08 | High-Tier |

| | | | | | | | |
|--------------------------------|---------------|------|--------------|-------|--|-------|-----------|
| Instinct | | | | | | | |
| Samsung Rant | A3LSPHM540 | CDMA | 800/1900 MHz | M4/T4 | | 11/08 | Mid-Tier |
| Upstage by Samsung (M620) | A3LSPHM620 | CDMA | 800/1900 MHz | M4 | | 7/07 | High-Tier |
| Z400 by Samsung | A3LSPHZ400 | CDMA | 800/1900 MHz | M4 | | 10/08 | High-Tier |
| Katana II by Sanyo (SCP-6650) | AEZSCP-6650 | CDMA | 800/1900 MHz | M4 | | 07/07 | Mid-Tier |
| Katana DLX by Sanyo (SCP-8500) | AEZSCP-85H | CDMA | 800/1900 MHz | M4/T4 | | 10/07 | High-Tier |
| Katana Eclipse X by Sanyo | JOYSCP-6750 | CDMA | 800/1900 MHz | M4/T4 | | 11/08 | Mid-Tier |
| Katana LX by Sanyo | AEZSCP-3800 | CDMA | 800/1900 MHz | M4/T4 | | 4/08 | Mid-Tier |
| PRO-200 by Sanyo | AEZSCP-PRO200 | CDMA | 800/1900 MHz | M4/T4 | | 12/08 | Mid-Tier |
| PRO-700 by Sanyo | AEZSCP-PRO700 | CDMA | 800/1900 MHz | M4/T4 | | 12/08 | High-Tier |
| SCP-3200 by Sanyo | AEZSCP-32H | CDMA | 800/1900 MHz | M4/T4 | | 4/07 | Low-Tier |
| SCP-7050 by Sanyo | AEZSCP-7050 | CDMA | 800/1900 MHz | M4/T4 | | 07/07 | Low-Tier |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|---------------------|------------------|-------------------------|------------------------|--|
| Blackberry 7100i | L6ARAW20IN | iDen | 800/900 MHz | 09/05 |
| Motorola i615/i605 | AZ489FT5838 | iDen | 800/900 MHz | 09/06 |
| Motorola i335 | IHDT56HG2 | iDen | 800/900 MHz | 11/07 |
| Sanyo S1 | AEZSCP-0001H | CDMA | 800/1900 MHz | 10/07 |
| | | | | |
| | | | | |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|----------------------|---------------------|-------------------|---------------------|-------------------|----------------------|-------------------------|
| CDMA | 23 | 44 | 15 | 31 | CDMA | 1 |
| iDen | 7 | 10 | 5 | 6 | iDEN | 4 |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (*Service Providers Only*)

Compliant models are available in retail outlets, including Sprint Nextel owned-and-operated retail stores and third-party retail stores. Compliant models are also available via the company’s website and telesales.

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (*Manufacturers Only – by model name/# and FCC ID*) N/A

SECTION 5. PRODUCT LABELING INFORMATION

Sprint Nextel labels HAC-compliant products by working cooperatively with its equipment vendors to print hearing aid compatibility information on the original packaging, as well as in user guides and manuals. Additionally, Sprint Nextel continues to provide HAC rating information on its in-store “Fact Tags” and/or “Call Out Cards.”

SECTION 6. CONSUMER OUTREACH EFFORTS

Sprint Nextel posted information regarding hearing aid use with digital wireless phones on its website, including a list of HAC-compliant phones and their respective ratings. Sprint Nextel also worked with its handset vendors to revise user guides to include a section containing helpful consumer information about the ratings and interoperability with the consumers’ hearing aids. Through its membership in ATIS and the CTIA, Sprint Nextel also participates in several events that allow interaction between consumers, service providers and manufacturers. Specifically, Sprint Nextel regularly participates in the Hearing Loss Association (“HLA”) conventions. Sprint Nextel assists in other outreach activities, including producing consumer handouts to be distributed at HLA and American Academy of Audiologists events.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (*Service Providers Only*)

The levels of functionality listed include Low-Tier, Mid-Tier and High-Tier. Sprint Nextel considers Low-Tier phones to have basic functionalities that are low cost to consumers. Frequently, Sprint Nextel offers its subscribers a limited number of devices ranging from no charge up to a nominal cost (after applicable rebates or promotions and subject to the terms in individual subscriber agreements). Sprint Nextel considers Mid-Tier phones to be those that include many features consumers demand, such as push-to-talk, high resolution cameras, and music players. A Mid-Tier phone, however, can typically cost substantially more than a Low-Tier model. Finally, the High-Tier phones often include Sprint Nextel’s latest offerings. Such products may include cutting edge technology in both hardware and software that can be demanded by the most tech-savvy customers. Sprint Nextel subscribers who choose the High-Tier models are usually in need of the latest functionality and capacity, as well as the ability to use the product not only for voice and data, but also as a personal digital assistant capable of offering some of today’s leading business solutions. The cost of the High-Tier products is typically at the top of the range and can be significant, compared to the other offerings.

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

SECTION 1. COMPANY INFORMATION

Service Provider: _____ Device Manufacturer: X

a. Company Name: *Symbol Technologies Inc.*

b. Contact Name: *Mark S. Luksich*

c. Address: *One Motorola Plaza*

d. City: *Holtsville*

e. State: *NY*

f. Zip Code: *11742*

g. Phone: *631-738-5134*

h. Fax: *631-738-5122*

i. Email: *txp763@motorola.com*

j. Company URL for HAC: *direct.motorola.com/ens/accessibility/default.html*

SECTION 2. PHONE MODEL INFORMATION

a. Compliant Phone Models 2: MC35 and MC75

| Model | FCC ID(s) | Air Interface(s) | Band(s) | ANSI C63.19 Rating | ANSI C63.19 version Used (Mfs Only) | Months available | Level of Functionality Classification (SPs Only) |
|--------|-----------|------------------|----------|--------------------|--|------------------|---|
| MC3504 | H9PMC3504 | GSM | 800/1900 | M3 T3 | 2006 | AUG 07 | |
| MC3574 | H9PMC3574 | GSM | 800/1900 | M3 T4 | 2006 | NOV 07 | |
| MC7508 | H9PMC7508 | GSM | 800/1900 | M3 T4 | 2006 | NOV 08 | |
| MC7598 | H9PMC7598 | GSM | 800/1900 | M3 T3 | 2006 | JUL 08 | |
| | | | | | | | |
| | | | | | | | |

b. Non-Compliant Phone Models 1 : MC55

| Model | FCC ID(s) | Air Interface(s) | Band(s) | Months available |
|--------|-------------------------|------------------|----------|------------------|
| MC55XX | H9PMC5504, H9PMC5574 | GSM | 800/1900 | AUG 08, DEC 08 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

c1. Total Number of Compliant Models by Air Interface as of Dec. 31, 2008

2: MC35 and MC75

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| GSM | 1 | 2 | 1 | 2 | GSM | 1* |
| | | | | | | |
| | | | | | | |

c2. Total Number of Non-Compliant Models by Air Interface as of Dec. 31, 2008

* The total number of models only includes current shipping models. Only models that can be used as a "phone" are included in this report; models that primarily function as hand held computers, data capture devices, or models that operate only as a "Speaker Phone" are not included.

SECTION 3. RETAIL Availability of Compliant Models (Service Providers Only)

N/A

SECTION 4. PRODUCT LABELING INFORMATION

All compliant models have the M or T category rating marked on the exterior of the package, a note in the Users Guide, and a HAC logo on the product.

SECTION 5. CONSUMER OUTREACH EFFORTS

Symbol products are designed and sold to industries and businesses for use in commercial and industrial areas.

SECTION 6. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION *(Service Providers Only)*

N/A

STATUS REPORT ON HEARING AID COMPATIBLE WIRELESS DEVICES

(July 1, 2008 through December 31, 2008)

| | | |
|--|-----------------------------|---|
| SECTION 1. COMPANY INFORMATION | | Service Provider: <input checked="" type="checkbox"/> Device Manufacturer: _____ |
| a. <i>Company Name:</i> Cellco Partnership d/b/a Verizon Wireless. This report also covers the offering of hearing-aid compatible handsets in cellular market areas the day-to-day control over which was transferred to a management trustee on January 9, 2009 as a condition to the approval of the acquisition of ALLTEL by Verizon Wireless, pending the divestiture of wireless assets and spectrum in those markets. ¹ | | b. <i>Contact Name:</i> Michael Samsock |
| c. <i>Address:</i> 1300 I Street, NW – Suite 400 West | | |
| d. <i>City:</i> Washington | e. <i>State:</i> DC | f. <i>Zip Code:</i> 20005 |
| g. <i>Phone:</i> 202-589-3768 | h. <i>Fax:</i> 202-589-3750 | i. <i>Email:</i> michael.samsock@verizonwireless.com |
| j. <i>Company URL for HAC (if applicable):</i> | | http://aboutus.vzw.com/accessibility/digitalPhones.html |

SECTION 2. PHONE MODEL INFORMATION

a. HAC-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | ANSI C63.19 Rating | ANSI C63.19 Ver. Used & Date Tested (Mfs Only) | Months available (Month and Year) (EOL=End of Life where applicable) | Level of Functionality Classification (SPs Only) |
|--------------|------------|------------------|-----------------|--------------------|--|--|--|
| LG VX9400 | BEJ VX9400 | CDMA | 800/1900 | M4/No T-coil | NA | Launched: 3/2007 EOL: 11/2008 | Mid Tier |
| LG VX5400 | BEJ VX5400 | CDMA | 800/1900 | M4/T4 | NA | Launched 10/2007 EOL: 12/2008 | Low Tier |
| LG VX8800 | BEJ VX8800 | CDMA | 800/1900 | M3/No T-coil | NA | Launched 11/2007 EOL: 12/2008 | Mid Tier |

¹ See Applications of Cellco Partnership d/b/a Verizon Wireless and Atlantis Holdings LLC for Consent to Transfer Control of Licenses, Authorizations, and Spectrum Manager and De Facto Transfer Leasing Arrangements, Memorandum Opinion and Order and Declaratory Ruling, FCC 08-258 (rel. Nov. 10, 2008) (“Verizon Wireless-ALLTEL Merger Order”).

| | | | | | | | |
|----------------------------|------------|----------|------------------------|--------------|----|--------------------------------------|-----------|
| LG VX8350 | BEJVX8350 | CDMA | 800/1900 | M4/T4 | NA | Launched 9/2007 | Mid Tier |
| LG VX10K | BEJVX10000 | CDMA | 800/1900 | M3/No T-coil | NA | Launched 11/2007 | High Tier |
| LG VX9100 | BEJVX9100 | CDMA | 800/1900 | M3/T3 | NA | Launched 05/2008 | Mid Tier |
| LG VX8610 | BEJVX8610 | CDMA | 800/1900 | M3/T3 | NA | Launched 06/2008 | High Tier |
| LG VX8560 | BEJVX8560 | CDMA | 800/1900 | M3/No T-coil | NA | Launched 07/2008 | Mid Tier |
| LG VX9700 | BEJVX9700 | CDMA | 800/1900 | M3/T3 | NA | Launched 07/2008 | High Tier |
| LG VX5500 | BEJVX5500 | CDMA | 800/1900 | M4/T4 | NA | Launched 11/2008 | Low Tier |
| Samsung SCH-i770 (W) | A3LSCHI770 | CDMA/GSM | 800/1900/ 850/1900* | M4/No T-coil | NA | Launched 11/2007 | Business |
| Samsung SCH-i910 (W) | A3LSCHI910 | CDMA | 800/1900 | M4/No T-coil | NA | Launched 11/2007 | Business |
| Samsung SCH-u310 | A3LSCHU310 | CDMA | 800/1900 | M4/T4 | NA | Launched 09/2008 | Low Tier |
| Samsung SCH-u340 | A3LSCHU340 | CDMA | 800/1900 | M4/T4 | NA | Launched 02/2007 | Low Tier |
| Samsung SCH-u430 | A3LSCHU430 | CDMA | 800/1900 | M4/T4 | NA | Launched 10/2008 | Low Tier |
| Samsung SCH- u430pp | A3LSCHU430 | CDMA | 800/1900 | M4/T4 | NA | Launched 10/2008 | Low Tier |
| Samsung SCH-u740 | A3LSCHU710 | CDMA | 800/1900 | M4/No T-coil | NA | Launched 02/2007 | Mid Tier |
| Samsung SCH-u700 | A3LSCHU700 | CDMA | 800/1900 | M4/No T-coil | NA | Launched 10/2007 | Mid Tier |
| Samsung SCH-u470 | A3LSCHU470 | CDMA | 800/1900 | M3/No T-coil | NA | Launched 10/2007 | Low Tier |
| Samsung SCH-u550 | A3LSCHU550 | CDMA | 800/1900 | M4/T4 | NA | Launched 02/2008 | Mid Tier |
| Samsung SCH-u650 | A3LSCHU650 | CDMA | 800/1900 | M4/No T-coil | NA | Launched 10/2008 | Mid Tier |
| Samsung SCH-u900 | A3LSCHU900 | CDMA | 800/1900 | M3/T3 | NA | Launched 11/2007 | High Tier |
| Samsung SCH-u940 | A3LSCHU940 | CDMA | 800/1900 | M4/No T-coil | NA | Launched 05/2008 | High Tier |
| SCH-u810 | A3LSCHU810 | CDMA/GSM | 800/1900/ 850/1900* | M3/T4 | NA | Launched Nov '08 | High Tier |
| Nokia 6205 | QMNRM-347 | CDMA | 800/1900 | M4/T4 | NA | Launched: 8/2008 | Mid Tier |
| Nokia 2605 | QMNRM-339 | CDMA | 800/1900 | M4/T4 | NA | Launched: 12/2008 | Low Tier |
| Motorola Q9m | IHDT56HS1 | CDMA | 800/1900 | M3/No T-coil | NA | Launched 8/2007 EOL: 8/2008 | Business |
| Motorola W385 | IHDT56HC1 | CDMA | 800/1900 | M4/T4 | NA | Launched in 7/2007 | Low Tier |
| Motorola V9m | IHDT56HT1 | CDMA | 800/1900 | M4/T4 | NA | Launched in 8/2007 EOL: 8/2008 | High Tier |
| Motorola Z6TV | IHDT56HA1 | CDMA | 800/1900 | M3/No T-coil | NA | Launched 10/2007 | High Tier |

| | | | | | | | |
|---------------------------|------------|------------|-----------------------|--------------|----|----------------------------------|-----------|
| Motorola V325xi | IHDT56FA1 | CDMA | 800/1900 | M4/T4 | NA | Launched 10/2007 | Low Tier |
| Motorola Z6c | IHDP56HG1 | CDMA | 800/1900 | M3/T3 | NA | Launched 12/2007 | High Tier |
| Motorola Adventure (V750) | IHDT56JJ1 | CDMA | 800/1900 | M4/T4 | NA | Launched 7/2008 | Mid Tier |
| Motorola Q9c | IHDT56HS1 | CDMA | 800/1900 | M3/T3 | NA | Launched 5/2008 | Business |
| Motorola W755 (Cool) | IHDT56JB1 | CDMA | 800/1900 | M4/T4 | NA | Lunched 5/2008 | Mid Tier |
| Motorola Rapture (VU30) | IHDT56JH1 | CDMA | 800/1900 | M4/T4 | NA | Launched 10/2008 | High Tier |
| Motorola Krave (ZN4) | IHDT56JZ1 | CDMA | 800/1900 | M4/T4 | NA | Launched 10/2008 | High Tier |
| UTS Gz'One C711 | TYKNX9230 | CDMA | 800/1900 | M4/T4 | NA | Launched 7/2008 | High Tier |
| UTS XV6900 (Vogue) | NM8VOGU100 | CDMA | 800/1900 | M3/No T-coil | NA | Launched 05/2008 | Business |
| UTSXV6800 | NM8TITA100 | CDMA | 800/1900 | M4/No T-coil | NA | Launched 11/2007 | Business |
| PCD XV6850 | NM8RAPH500 | CDMA | 800/1900 | M3/No T-coil | NA | Launched 12/2008 | Business |
| Treo 700wx | 08FJIMI | CDMA | 800/1900 | M3/No T-coil | NA | Launched 2/2007 | Business |
| Treo 755p | 08F895 | CDMA | 800/1900 | M3/T4 | NA | Launched 11/2007 EOL: 08/2008 | Business |
| Treo 690p | 08F747 | CDMA | 800/1900 | M4/T4 | | Launched 6/2008 | Business |
| RIM: Blackberry 8703e | L6ARBF20CW | CDMA | 800/1900 | M4/T4 | NA | Launched 9/2006 | Business |
| RIM: Blackberry 8830 | L6ARBK40CG | CDMA | 800/1900 | M4/T4 | NA | Launched 5/2007 | Business |
| RIM: Blackberry 8130 | L6ARBS20CW | CDMA | 800/1900 | M3/T3 | NA | Launched 1/2008 | Business |
| RIM: BlackBerry 8330 | L6ARBK40CG | CDMA | 800/1900 | M4/T4 | NA | Launched 4/2008 | Business |
| RIM: 9530 (Storm) | L6ARBW70CW | CDMA / GSM | 800/1900 850/1900* | M3/No T-coil | NA | Launched 11/2008 | Business |

b. Non-Certified Phone Models

| Model Name/# | FCC ID(s) | Air Interface(s) | Covered Band(s) | Months available (Month and Year) |
|------------------|------------|------------------|-----------------|---------------------------------------|
| Samsung SCH-i830 | A3LSCHI830 | CDMA/GSM | 800/1900 | Launched - 10/2007 EOL: 12/20/2008 |

| | | | | |
|----------------------|------------|------|----------|------------------|
| Samsung SCH-i760 (W) | A3LSCHI760 | CDMA | 800/1900 | Launched 10/2007 |
| | | | | |
| | | | | |

c1. Total Number of Certified Models by Air Interface as of Dec. 31, 2008

c2. Total Number of Non-Certified Models by Air Interface as of Dec. 31, 2008

| Air Interface | Required M3+ | Actual M3+ | Required T3+ | Actual T3+ | Air Interface | Number of Models |
|---------------|--------------|------------|--------------|------------|---------------|------------------|
| CDMA | 24 | 46 | 16 | 30 | CDMA | 1 |
| CDMA/GSM | 2 | 3 | 1 | 1 | CDMA/GSM | 1 |

SECTION 3. RETAIL AVAILABILITY OF COMPLIANT MODELS (Service Providers Only)

Verizon Wireless offers all of the models listed above as HAC compliant in Section 2(a) on a nationwide basis at its brick and mortar locations and via the internet. Some location that have restricted display space; kiosks for example, may not offer all of the models of a larger store. However, sales personnel at these locations have been trained to direct customers to the web site or to larger, nearby Verizon Wireless locations.

SECTION 4. SINGLE MODEL(S) MARKETED UNDER SEPARATE MODEL NAME/NUMBER (Manufacturers Only – by model name/# and FCC ID)

NA

SECTION 5. PRODUCT LABELING INFORMATION

Verizon Wireless has labeled HAC compliant phones in three ways:

- (1) by call out card;
- (2) by indicating the M and T ratings on the side of the phone's box; and
- (3) by including a brief description of the M and T ratings in the phone's user manual or on an insert enclosed in the phone's box.

SECTION 6. CONSUMER OUTREACH EFFORTS

Verizon Wireless's website has been updated to include information relevant to HAC. The website includes: (1) a description of the ANSI Standard (M and T (where applicable) ratings); (2) a series of six common questions and their answers; and (3) links to those phones that are HAC compliant.

Sales personnel at stores owned and operated by Verizon Wireless have been trained with an understanding of HAC and the phones offered by Verizon Wireless. Sales personnel may also access from the stores via the internet the information contained on Verizon Wireless's web site (as described above).

Verizon Wireless has employees that are dedicated to disabilities issues including HAC. Those employees (1) regularly interact with customers who require additional assistance due to a disability; (2) participate in trade shows where they educate attendees on the HAC phones offered by Verizon Wireless; and (3) participate in national conventions offered by HLAA.

SECTION 7. LEVELS OF FUNCTIONALITY METHODOLOGY EXPLANATION (*Service Providers Only*)

**Consumer
Phones**

Low Tier Phones are mostly voice centric, support messaging, with smaller display, mostly on 1XRTT network

Mid Tier Phones have improved camera features (greater than 1MP), better resolution with at least QCIF displays, mostly on 1XRTT and EVDO networks

High Tier Phones have features like improved camera features (2MP or greater), better resolution (like QVGA or better); touch screens, mostly on EVDO and/or EVDO-Rev. A networks

**Business
Phones**

Business Devices that support an Operating System like RIM, MS, or Palm. These devices support data and voice functions.

Voluntary Form for Hearing Aid Compatibility Status Report

Reporting Period **07/01/08** to **12/31/08**

| | | |
|--|--|--|
| Section 1. Company Information | Service Provider <input checked="" type="checkbox"/> | Device Manufacturer <input type="checkbox"/> |
| Company Name: T-Mobile USA, Inc. | | |
| Company Address: 401 Ninth Street, NW, Suite 550 | | |
| City: Washington | State: DC | Zip Code: 20004 |
| Phone: (202) 654-5900 | Fax: (202) 654-5963 | E-mail: |
| Filing Agent / Law Firm: | | |
| Filing Agent Contact Name: Harold Salters; Shellie Blakeney | | |
| Filing Agent Address: Same As Above | | |
| City: | State: | Zip Code: |
| Phone: | Fax: | E-mail: Harold.Salters@T-Mobile.com ; Shellie.Blakeney@T-Mobile.com |
| | | |

Section 2. Acoustic and Inductive Coupling-Compatible Handset Models (Rated At Least M3 and T3)

| Index | Handset Maker | Model Name(s) | FCC ID(s) | Starting Available Date | Ending Available Date (MM/YY) | Air Interface Technology(ies) | Operating Frequency Bands | ANSI Standard C63.19 version# |
|-------|---------------|---------------|--------------|-------------------------|-------------------------------|-------------------------------|---|-------------------------------|
| 2-1 | Motorola | RAZR V3-06 | IHDT56 HJ1 | 08/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 2-2 | Motorola | W490 | IHDT56 HB1 | 10/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 2-3 | Motorola | RAZR2 V8 | IHDT56 HZ1 | 10/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 2-4 | Nokia | 6263 | QTKRM-207 | 12/07 | 12/08 | GSM, UMTS | GSM: 850 MHz, 900 MHz, 1800 MHz, 1900 MHz UMTS: 1700 MHz, 2100 MHz | |
| 2-5 | Nokia | 3555 | QMNR M-257 | 03/08 | 12/08 | GSM, UMTS | GSM: 850 MHz, 900 MHz, 1800 MHz, 1900 MHz UMTS: 1700 MHz, 2100 MHz | |
| 2-6 | Nokia | 2760 | QTLRM-391 | 05/08 | 12/08 | GSM | 850 MHz, 1800 MHz, 1900 MHz | |
| 2-7 | RIM | 8320 Curve | L6ARBJ 40GW | 09/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 2-8 | RIM | 8220 | L6ARB Y40GW | 10/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 2-9 | Samsung | t219s | A3LSG HT219S | 09/07 | 12/08 | GSM | 850 MHz, 1800 MHz, 1900 MHz | |
| 2-10 | Samsung | t439 | A3LSG HT439 | 11/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 2-11 | Samsung | t229 | A3LSG HT229 | 06/08 | 12/08 | GSM | 850 MHz, 1800 MHz, 1900 MHz | |
| 2-12 | Samsung | t339 | A3LSG HT339 | 06/08 | 12/08 | GSM | 850 MHz, 1800 MHz, 1900 MHz | |

Section 2 --- Continued

| Index | M-Rating | M-Rating Certification Date | M-Rating Testing Lab | T-Rating | T-Rating Certification Date | T-Rating Testing Lab | Wi-Fi Interface | Functionality Level | Remark |
|-------|----------|-----------------------------|----------------------|----------|-----------------------------|----------------------|-----------------|---------------------|--------|
| 2-1 | M3 | | | T3 | | | No | Good | |
| 2-2 | M3 | | | T3 | | | No | Good | |
| 2-3 | M3 | | | T3 | | | No | Premium | |
| 2-4 | M3 | | | T3 | | | No | Best | |
| 2-5 | M3 | | | T3 | | | No | Best | |
| 2-6 | M3 | | | T3 | | | No | Good | |
| 2-7 | M3 | | | T3 | | | Yes | Premium | |
| 2-8 | M3 | | | T3 | | | Yes | Premium | |
| 2-9 | M3 | | | T3 | | | No | Good | |
| 2-10 | M3 | | | T3 | | | No | Good | |
| 2-11 | M3 | | | T3 | | | No | Good | |
| 2-12 | M3 | | | T3 | | | Yes | Best | |

| Section 3. Acoustic Coupling-Compatible Handset Models (Rated At Least M3 But Not T3) | | | | | | | | |
|--|---------------|------------------------|-------------|-------------------------|-----------------------|--------------------------|---|-------------------------------|
| Index | Handset Maker | Model Name(s) | FCC ID(s) | Starting Available Date | Ending Available Date | Air Interface Technology | Operating Frequency Bands | ANSI Standard C63.19 version# |
| 3-1 | Motorola | MOTOAC TV | IHDT56H R1 | 10/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 3-2 | Samsung | t919 Behold | A3LSGHT 919 | 11/08 | 12/08 | GSM, UMTS | GSM: 850 MHz, 900 MHz, 1800 MHz, 1900 MHz UMTS: 1700 MHz, 2100 MHz | |
| 3-3 | Samsung | t459 | A3LSGHT 459 | 11/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 3-4 | Sharp | T-Mobile Sidekick LX | APYNAR0 063 | 10/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |
| 3-5 | Sharp | T-Mobile Sidekick 2008 | APYNAR0 064 | 07/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | |

| Section 3 --- Continued | | | | | | |
|--------------------------------|----------|-----------------------------|----------------------|-----------------|---------------------|--------|
| Index | M-Rating | M-Rating Certification Date | M-Rating Testing Lab | Wi-Fi Interface | Functionality Level | Remark |
| 3-1 | M3 | | | No | Best | |
| 3-2 | M3 | | | No | Premium | |
| 3-3 | M3 | | | No | Best | |
| 3-4 | M3 | | | No | Premium | |
| 3-5 | M3 | | | No | Premium | |

Section 4. Non-Hearing Aid-Compatible Handset Models (Rated Neither M3 Nor T3)

| Index | Handset Maker | Model Name(s) | FCC ID(s) | Starting Available Date | Ending Available Date | Air Interface Technology | Operating Frequency | Wi-Fi Interface | Functionality Level | Remark |
|-------|---------------|----------------|------------|-------------------------|-----------------------|--------------------------|--------------------------------------|-----------------|---------------------|--------|
| 4-1 | Motorola | MOTORIZR | IHDT56GY1 | 03/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Premium | |
| 4-2 | Motorola | MOTOKRZR | IHDT56GT1 | 04/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Premium | |
| 4-3 | Motorola | T-Mobile Slide | IHDT56HE1 | 11/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Premium | |
| 4-4 | Motorola | ROKR | IHDP56HB1 | 07/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Premium | |
| 4-5 | Motorola | MOTOZINE Z5N | IHDT56JT1 | 11/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Premium | |
| 4-6 | Nokia | 2610 | QTLRH-87 | 08/07 | 12/08 | GSM | 850 MHz, 1900 MHz | No | Good | |
| 4-7 | Nokia | 1208 | QTLRH-106 | 04/08 | 12/08 | GSM | 850 MHz, 1900 MHz | No | Good | |
| 4-8 | Nokia | 5310 | PPIRM-304 | 05/08 | 12/08 | GSM | 850 MHz, 1800 MHz, 1900 MHz | No | Good | |
| 4-9 | Nokia | 6301 | PPIRM-323 | 06/08 | 12/08 | GSM | 850 MHz, 1800 MHz, 1900 MHz | Yes | Best | |
| 4-10 | Nokia | 5610 | QTKRM-242 | 08/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Premium | |
| 4-11 | Nokia | 1680 | QTLRM-490 | 09/08 | 12/08 | GSM | 850 MHz, 1900 MHz | No | Good | |
| 4-12 | RIM | 8820 | L6ARBG40Gw | 03/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | Yes | Premium | |

| | | | | | | | | | | |
|------|------------------|--------------------|-----------------|-------|-------|-----------|--|-----|---------|--|
| 4-13 | RIM | 8120 | L6ARBR4 OGW | 04/08 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | Yes | Premium | |
| 4-14 | Samsung | t329 Stripe | A3LSGHT 329 | 03/07 | 12/08 | GSM | 850 MHz, 1800 MHz, 1900 MHz | No | Good | |
| 4-15 | Samsung | t639 | A3LSGHT 639 | 07/07 | 12/08 | GSM, UMTS | GSM: 850 MHz, 900 MHz, 1800 MHz, 1900 MHz UMTS: 1700 MHz, 2100 MHz | No | Best | |
| 4-16 | Samsung | t729 Blast | A3LSGHT 729 | 08/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Premium | |
| 4-17 | Samsung | t429 | A3LSGHT 429 | 08/07 | 12/08 | GSM | 850 MHz, 1800 MHz, 1900 MHz | No | Good | |
| 4-18 | Samsung | t539 Beat | A3LSGHT 539 | 10/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Best | |
| 4-19 | Samsung | t739 Katalyst | A3LSGHT 739 | 12/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | Yes | Premium | |
| 4-20 | Samsung | t819 | A3LSGHT 819 | 01/08 | 12/08 | GSM, UMTS | GSM: 850 MHz, 900 MHz, 1800 MHz, 1900 MHz UMTS: 1700 MHz, 2100 MHz | No | Premium | |
| 4-21 | Samsung | t109 | A3LSGHT 109 | 10/08 | 12/08 | GSM | 850 MHz 1900 MHz | No | Good | |
| 4-22 | Sony Ericsson | TM506 | PY7A3132 011 | 09/08 | 12/08 | GSM, UMTS | GSM: 850 MHz, 1800 MHz, 1900 MHz UMTS: 1700 MHz, 2100 MHz | No | Best | |
| 4-23 | Sharp | Sidekick ID | APYNAR0 062 | 04/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Best | |
| 4-24 | HTC | T-Mobile Wing | nm8hera | 05/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, 1900 MHz | No | Premium | |
| 4-25 | HTC | T-Mobile Shadow | NM8PB | 10/07 | 12/08 | GSM | 850 MHz, 900 MHz, 1800 MHz, | No | Premium | |

| | | | | | | | | | | |
|------|-----|----------------|--------|-------|-------|-----------|--|----|---------|--|
| | | | | | | | 1900 MHz | | | |
| 4-26 | HTC | T-Mobile G1 | NM8DRM | 10/08 | 12/08 | GSM, UMTS | GSM: 850 MHz, 900 MHz, 1800 MHz, 1900 MHz UMTS: 1700 MHz, 2100 MHz | No | Premium | |

Section 5. Total Acoustic and Inductive Coupling-Compatible, Acoustic Coupling-Compatible, and Non-Hearing Aid-Compatible Handset Models By Air Interface Technology

| Air Interface Technology (GSM,CDMA,WCDMA, etc) | Number of Fully Hearing Aid-Compatible Handset Models | Number of Acoustic Coupling-Compatible Handset Models | Number of Non-Hearing Aid-Compatible Handset Models | Remark |
|--|---|---|---|---|
| GSM | 12 | 5 | 26 | |
| UMTS | 2 | 1 | 4 | All of the Air Interface classified UMTS handsets are also GSM capable. |

| Section 6. Handset Models Tested Since Last Report (Manufacturer Only) | | | | | |
|---|---------------|---------------|-----------|---|---|
| Index | Handset Maker | Model Name(s) | FCC ID(s) | Air Interface Technology(ies) (GSM,CDMA, WCDMA, etc) | Operating Frequency Bands (800, 1900, 2100, etc) |
| 6-1 | | | | | |
| 6-2 | | | | | |
| 6-3 | | | | | |
| 6-4 | | | | | |
| more | | | | | |

| Section 6 --- Continued | | | | | | | |
|--------------------------------|----------------------|--|--|-----------------------------|--|---|--------|
| Index | M-Rating (M1-M4.) | M-Rating Testing Date (MM/DD/YY) | M-Rating Testing Lab (manufacturer only) | T-Rating (T1-T4, N/A) | T-Rating Testing Date (MM/DD/YY) | T-rating Testing Lab (manufacturer only) | Remark |
| 6-1 | | | | | | | |
| 6-2 | | | | | | | |
| 6-3 | | | | | | | |
| 6-4 | | | | | | | |
| more | | | | | | | |

Section 7. Product Labeling Information:

Do all hearing aid-compatible handsets include labeling?

Yes No

If no, please explain.

Do all hearing aid-compatible handsets with the Wi-Fi air interface have clear and effective disclosure that the handset has not been tested for hearing aid compatibility with respect to its Wi-Fi voice operation?

Yes No

If no, please explain.

Section 8. Public Website:

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system?

Yes No

If yes, please provide the address for the public website.

http://www.t-mobile.com/Company/Community.aspx?tp=Abt_Tab_Safety&tsp=Abt_Sub_TTYPolicy

Section 9. Describe Consumer Outreach Efforts in the Past 12 Months:

T-Mobile continues to play an active role in providing customers current information about its HAC compliant products. T-Mobile's HAC compliant handset boxes are properly labeled. In addition, T-Mobile places HAC M-rating, and where appropriate T-rating, information on its price/feature ("call-out") cards, which are located with the handset displays in T-Mobile owned and operated retail stores. HAC product information is available on T-Mobile's public website, which is referenced above. Furthermore, T-Mobile offers an unlimited data plan that is attractive to customers who are deaf or hard of hearing.

T-Mobile continues to embrace opportunities to talk about its HAC offerings, as well as, other products and services that are designed to promote accessibility, to broad audiences by participating on panels at conferences attended by organizations representing persons with hearing loss and members of such organizations. In these discussions, T-Mobile continues to stress the importance for consumers to try/test HAC handsets prior to purchase. T-Mobile makes HAC handsets available for consumers to test at retail stores that are owned and operated by the company.

Moreover, T-Mobile's Customer Care and Retail representatives stand ready to lend assistance to consumers with questions on HAC products.

Section 10. (Service Providers Only) Describe the Levels of Functionality into Which the Compliant Handsets Fall and Provide An Explanation of the Service Provider's Methodology for Determining Levels of Functionality:

All of T-Mobile's HAC devices are enabled to function on commercial mobile wireless frequency bands outside the United States.

HAC devices contained in the "Good" category include basic bar to core feature handsets. These handsets may not be enabled to perform advanced applications. Although many of these handsets are quad-band that operate over four frequency bands (1900 MHz, 1800 MHz, 900 MHz, 850 MHz), some HAC devices under this category are tri-band, operating over only three frequency bands (1900 MHz, 1800 MHz and 850 MHz).

HAC handsets categorized as "Best" can be characterized as mid-range and typically include products that have distinctive color, form factor and style. The Best category includes quad-band devices, devices that are 3G enabled, as well as those that are capable of operating in Wi-Fi mode.

HAC devices that fall in the "Premium" category are high-end devices, which are distinguishable in terms of design and materials. These devices

typically contain advanced features and applications. HAC devices in the Premium category are quad-band. Some of these HAC devices also have either 3G capability or are WiFi enabled.