

## Schema ESMI.xsd

schema location: [C:\Documents and Settings\rsherry\My Documents\XML\ESMI\\_XML\ESMI.xsd](C:\Documents and Settings\rsherry\My Documents\XML\ESMI_XML\ESMI.xsd)  
targetNamespace: <schemas-atis-esif-org:esi>

### Elements

[Acquiesce](#)  
[ActiveEventStaus](#)  
[CommunicationsChannelDisconnect](#)  
[ConfigurationReport](#)  
[EEBridge](#)  
[EEID](#)  
[EmergencyEvent](#)  
[EmergencyEventComplete](#)  
[EmergencyEventInformation](#)  
[EmergencyEventResponse](#)  
[EmergencyEventUpdate](#)  
[EventActivityReport](#)  
[GetActiveEventStatus](#)  
[GetActivityReport](#)  
[GetConfigurationReport](#)  
[IM\\_Notify](#)  
[InformationBody](#)  
[InformationDiscrepancy](#)  
[MessageType](#)  
[NotesBody](#)  
[Notify](#)  
[Parameters](#)  
[PSAPMisroute](#)  
[Publish](#)  
[SendInformation](#)  
[ServiceInstance](#)  
[ServiceSubscriptions](#)  
[Window](#)

schema location: [C:\Documents and Settings\rsherry\My Documents\XML\ESMI\\_XML\ESMI\\_Type.xsd](C:\Documents and Settings\rsherry\My Documents\XML\ESMI_XML\ESMI_Type.xsd)  
targetNamespace: <schemas-atis-esif-org:esi>

### Complex types


[tError](#)  
[tInformation](#)  
[tOpenContent](#)  
[tParameters](#)  
[tServiceInstanceType](#)  
[tWindow](#)

### Simple types

[tActions](#)  
[tActivity](#)  
[tActivityType](#)  
[tCC\\_Cause](#)  
[tCESEID](#)  
[tCount](#)  
[tDateTime](#)  
[tDuration](#)  
[tEE\\_Cause](#)  
[tEEID](#)  
[tESNetID](#)  
[tIMConferenceAddress](#)  
[tIMID](#)  
[tIP\\_Address](#)  
[tMessageType](#)  
[tNotes](#)  
[tPosition](#)  
[tReason](#)

- [tRGProvider](#)
- [tSchemaVersion](#)
- [tServiceAttribute](#)
- [tServiceID](#)
- [tServiceStatus](#)
- [tServiceType](#)
- [tTCP\\_Port](#)
- [tTNTType](#)
- [tUseDefaultServices](#)
- [tVersion](#)

### element **Acquiesce**



namespace `schemas-atis-esif-org:esi`

children [Reason](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for Acquiesce				

### element **Acquiesce/Reason**




namespace `schemas-atis-esif-org:esi`

type extension of [e:Reason](#)

facets `maxLength 40`

attributes	Name	Type	Use	Default	Fixed	Annotation
	Code	xs:string	optional			
annotation	documentation	Reason code and text				

### element **ActiveEventStaus**



namespace `schemas-atis-esif-org:esi`


children [Event](#) [Error](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			

annotation documentation Root tag for Event Staus response

### element **ActiveEventStaus/Event**

diagram



namespace schemas-atis-esif-org:esi

children [Activity](#) [EventText](#) [IMID](#) [e:EEID](#)

### element **ActiveEventStaus/Event/Activity**

diagram




namespace schemas-atis-esif-org:esi

type [e:Activity](#)

facets enumeration A  
enumeration I

### element **ActiveEventStaus/Event/EventText**

diagram




namespace schemas-atis-esif-org:esi

type [e:tNotes](#)

facets maxLength 200

### element **ActiveEventStaus/Event/IMID**

diagram




namespace schemas-atis-esif-org:esi

type [e:tIMID](#)

facets maxLength 15

### element **ActiveEventStaus/Error**

diagram




Error or information not available

namespace	schemas-atis-esif-org:esi					
type	restriction of <a href="#">e:tError</a>					
facets	maxLength	30				
attributes	Name	Type	Use	Default	Fixed	Annotation
	Number	xs:NMTOKEN	optional			
annotation	documentation	Error or information not available				

### element **CommunicationsChannelDisconnect**

diagram



namespace	schemas-atis-esif-org:esi					
children	<a href="#">e:EEID</a> <a href="#">CC_Cause</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for Communication Channel Disconnect				

### element **CommunicationsChannelDisconnect/CC\_Cause**


diagram



namespace	schemas-atis-esif-org:esi					
type	<a href="#">e:tCC_Cause</a>					
facets	enumeration	Emergency-Requestor				
	enumeration	Call-Taker				
annotation	documentation	Requestor or Call Taker initiated				

## element ConfigurationReport

diagram




namespace schemas-atis-esif-org:esi

children [ESNetID](#) [RGProvider](#) [RGVersion](#) [IP\\_Address](#) [TCP\\_Port](#) [e:ServiceInstance](#) [Error](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for Configuration Report response				

## element ConfigurationReport/ESNetID

diagram



namespace schemas-atis-esif-org:esi

type [e:tESNetID](#)

facets maxLength 10

## element ConfigurationReport/RGProvider

diagram




namespace schemas-atis-esif-org:esi

type [e:tRGProvider](#)

facets maxLength 20

## element ConfigurationReport/RGVersion

diagram




namespace schemas-atis-esif-org:esi

type [e:tVersion](#)

facets      maxLength    10

### element **ConfigurationReport/IP\_Address**




namespace    schemas-atis-esif-org:esi

type          [e:tIP\\_Address](#)

facets          maxLength    20

### element **ConfigurationReport/TCP\_Port**



namespace    schemas-atis-esif-org:esi

type          [e:tTCP\\_Port](#)

facets          maxLength    5

### element **ConfigurationReport/Error**




namespace    schemas-atis-esif-org:esi

type          [e:tError](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Number	xs:NMTOKEN	optional			

### element **EEBridge**



namespace    schemas-atis-esif-org:esi

children      [e:EEID](#) [e:Parameters](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for EE Bridge				


### element **EEID**



namespace	schemas-atis-esif-org:esi		
type	<a href="#">e:tEEID</a>		
used by	elements	<a href="#">CommunicationsChannelDisconnect</a> <a href="#">EEBridge</a> <a href="#">EmergencyEvent</a> <a href="#">EmergencyEventComplete</a> <a href="#">EmergencyEventInformation</a> <a href="#">EmergencyEventResponse</a> <a href="#">EmergencyEventUpdate</a> <a href="#">ActiveEventStaus/Event</a> <a href="#">EventActivityReport/Event</a> <a href="#">GetActiveEventStatus</a> <a href="#">GetActivityReport</a> <a href="#">InformationDiscrepancy</a> <a href="#">PSAPMisroute</a> <a href="#">SendInformation</a> <a href="#">ServiceSubscriptions</a>	
facets	maxLength	32	
annotation	documentation	Emergency Event ID	

### element **EmergencyEvent**


diagram



namespace	schemas-atis-esif-org:esi					
children	<a href="#">e:MessageType</a> <a href="#">e:EEID</a> <a href="#">UseDefaultServices</a> <a href="#">e:Parameters</a> <a href="#">e:InformationBody</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for EEvent				

### element **EmergencyEvent/UseDefaultServices**


diagram



namespace	schemas-atis-esif-org:esi		
type	<a href="#">e:tUseDefaultServices</a>		
facets	enumeration	True	
	enumeration	False	
annotation	documentation	Used to tailor services requested	

## element **EmergencyEventComplete**

diagram




namespace **schemas-atis-esif-org:esi**

children [e:EEID](#) [Cause](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for Event Complete				

## element **EmergencyEventComplete/Cause**

diagram




namespace **schemas-atis-esif-org:esi**

type [e:tEE\\_Cause](#)

facets	enumeration	Complete
	enumeration	Suspend

## element **EmergencyEventInformation**

diagram




namespace **schemas-atis-esif-org:esi**

children [e:MessageType](#) [e:EEID](#) [e:Parameters](#) [e:ServiceInstance](#) [e:InformationBody](#) [Error](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVerison	e:tSchemaVersion	required			
annotation	documentation	Root tag for EE Information				

### element **EmergencyEventInformation/Error**




namespace schemas-atis-esif-org:esi

type restriction of [e:tError](#)

facets maxLength 30

attributes	Name	Type	Use	Default	Fixed	Annotation
	Number	xs:NMTOKEN	optional			
annotation	documentation	Error in response				

### element **EmergencyEventResponse**




namespace schemas-atis-esif-org:esi

children [e:Parameters](#) [e:EEID](#) [Error](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVerison	e:tSchemaVersion	required			
annotation	documentation	Root tag for Emergency Event Response				

### element **EmergencyEventResponse/Error**



namespace schemas-atis-esif-org:esi


type restriction of [e:tError](#)

facets maxLength 30

attributes	Name	Type	Use	Default	Fixed	Annotation
	Number	xs:NMTOKEN	optional			
annotation	documentation	Error response				

## element **EmergencyEventUpdate**

diagram




namespace `schemas-atis-esif-org:esi`

children [e:EEID](#) [e:ServiceInstance](#) [e:Parameters](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for EE Update				

## element **EventActivityReport**

diagram




namespace `schemas-atis-esif-org:esi`

children [Event](#) [Count](#) [e:Window](#) [Error](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for Activity Report response				

## element **EventActivityReport/Event**

diagram



namespace `schemas-atis-esif-org:esi`

children [e:EEID](#) [Key](#) [e:ServiceInstance](#) [Position](#) [Duration](#) [DateTime](#)

## element **EventActivityReport/Event/Key**

diagram



namespace `schemas-atis-esif-org:esi`

type [e:tNType](#)

facets `maxLength` 15

annotation `documentation` Key for event

## element **EventActivityReport/Event/Position**

diagram




namespace `schemas-atis-esif-org:esi`

type [e:tPosition](#)

facets `maxLength` 3


annotation `documentation` Position serving event

**element EventActivityReport/Event/Duration**



namespace schemas-atis-esif-org:esi  
 type [e:tDuration](#)  
 facets maxLength 10  
 annotation documentation Duration of event

**element EventActivityReport/Event/DateTime**



namespace schemas-atis-esif-org:esi  
 type [e:tDateTime](#)  
 annotation documentation Origination time of event

**element EventActivityReport/Count**



namespace schemas-atis-esif-org:esi  
 type [e:tCount](#)


**element EventActivityReport/Error**



namespace schemas-atis-esif-org:esi  
 type restriction of [e:tError](#)  
 facets maxLength 30

attributes	Name	Type	Use	Default	Fixed	Annotation
	Number	xs:NMTOKEN	optional			
annotation	documentation	Error or no data available				

**element GetActiveEventStatus**




namespace schemas-atis-esif-org:esi  
 children [e:EEID](#)

attributes	Name SchemaVersion	Type e:tSchemaVersion	Use required	Default	Fixed	Annotation
annotation	documentation	Root tag for Get Event Status				

### element **GetActivityReport**


diagram



namespace	schemas-atis-esif-org:esi					
children	<a href="#">e:EEID</a> <a href="#">ActivityType</a> <a href="#">e:Window</a>					
attributes	Name SchemaVersion	Type e:tSchemaVersion	Use required	Default	Fixed	Annotation
annotation	documentation	Root tag for Get Activity Report				

### element **GetActivityReport/ActivityType**


diagram



namespace	schemas-atis-esif-org:esi					
type	<a href="#">e:tActivityType</a>					
facets	enumeration	location				
	enumeration	discrepancy				
	enumeration	misroute				
	enumeration	nodata				
	enumeration	all				

### element **GetConfigurationReport**

diagram



namespace	schemas-atis-esif-org:esi					
children	<a href="#">CESEID</a>					
attributes	Name SchemaVersion	Type e:tSchemaVersion	Use required	Default	Fixed	Annotation
annotation	documentation	Root tag for Get Configuration Report				

**element GetConfigurationReport/CESEID**




namespace schemas-atis-esif-org:esi

type [e:tCESEID](#)

facets maxLength 10

**element IM\_Notify**



namespace schemas-atis-esif-org:esi

children [ConferenceAddress](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVerison	e:tSchemaVersi on	required			
annotation	documentation	Root tag for IM Notify				

**element IM\_Notify/ConferenceAddress**




namespace schemas-atis-esif-org:esi

type [e:tIMConferenceAddress](#)

facets maxLength 20

**element InformationBody**



namespace schemas-atis-esif-org:esi


type [e:tInformation](#)

used by elements [EmergencyEvent](#) [EmergencyEventInformation](#) [InformationDiscrepancy/Received](#) [Info](#) [InformationDiscrepancy/Revised](#) [Info](#) [SendInformation](#)

annotation documentation EEInfo query result.  
Ex: na:AliBody xmlns:na="http://www.nena9-1-1.org/schemas/2003/ali"...

## element InformationDiscrepancy

diagram




namespace schemas-atis-esif-org:esi

children [e:EEID](#) [e:ServiceInstance](#) [Received\\_Info](#) [Revised\\_Info](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
documentation	SchemaVersion	e:tSchemaVersion	required			Root tag for Information Discrepancy

## element InformationDiscrepancy/Received\_Info

diagram




namespace schemas-atis-esif-org:esi

children [e:InformationBody](#)

documentation Information received in response

## element InformationDiscrepancy/Revised\_Info

diagram




namespace schemas-atis-esif-org:esi

children [e:InformationBody](#) [Comments](#)

annotation documentation Corrected or revised information - formatted or free form

### element **InformationDiscrepancy/Revised\_Info/Comments**



namespace schemas-atis-esif-org:esi

type [e:tNotes](#)

facets maxLength 200

annotation documentation Free form discription of discrepancy

### element **MessageType**



namespace schemas-atis-esif-org:esi


type [e:tMessageType](#)

used by elements [EmergencyEvent](#) [EmergencyEventInformation](#)

facets enumeration Normal  
enumeration Manual\_With\_Event  
enumeration Manual\_No\_Event  
enumeration Test

annotation documentation Type of EEvent message

### element **NotesBody**



namespace schemas-atis-esif-org:esi

children [Notes](#)

annotation documentation Notes schema that can be used for Send Information

### element **NotesBody/Notes**




namespace schemas-atis-esif-org:esi

type [e:tNotes](#)

facets maxLength 200

### element **Notify**


diagram



namespace	schemas-atis-esif-org:esi					
attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVerison	e:tSchemaVersi on	required			
annotation	documentation	Root tag for Notify				

### element **Parameters**


diagram



namespace	schemas-atis-esif-org:esi					
type	<a href="#">e:tParameters</a>					
used by	elements	<a href="#">EEBridge</a> <a href="#">EmergencyEvent</a> <a href="#">EmergencyEventInformation</a> <a href="#">EmergencyEventResponse</a> <a href="#">EmergencyEventUpdate</a>				
annotation	documentation	Parameters from the EEvent message				

### element **PSAPMisroute**


diagram



namespace	schemas-atis-esif-org:esi					
children	<a href="#">e:EEID</a> <a href="#">Comments</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVerison	e:tSchemaVersi on	required			
annotation	documentation	Root tag for PSAP Misroute				

### element **PSAPMisroute/Comments**


diagram



namespace	schemas-atis-esif-org:esi					
-----------	---------------------------	--	--	--	--	--

type [e:tNotes](#)  
 facets maxLength 200  
 annotation documentation Comments regarding the Misroute

### element Publish




namespace schemas-atis-esif-org:esi  
 children [e:ServiceInstance](#)  
 attributes
 

Name	Type	Use	Default	Fixed	Annotation
SchemaVersion	e:tSchemaVersion	required			

 annotation documentation Root tag for Publish Services

### element SendInformation




namespace schemas-atis-esif-org:esi  
 children [e:EEID](#) [e:InformationBody](#)  
 attributes
 

Name	Type	Use	Default	Fixed	Annotation
SchemaVersion	e:tSchemaVersion	required			

 annotation documentation Root tag for Send Information

### element ServiceInstance




namespace schemas-atis-esif-org:esi  
 type [e:tServiceInstanceType](#)

children [ServiceID](#) [ServiceType](#) [ServiceStatus](#) [ServiceAttribute](#)  
 used by elements [ConfigurationReport](#) [EmergencyEventInformation](#) [EmergencyEventUpdate](#) [EventActivityReport/EventInformationDiscrepancy](#) [Publish](#) [ServiceSubscriptions](#)  
 annotation documentation Services

### element **ServiceSubscriptions**

diagram




namespace [schemas-atis-esif-org:esi](#)

children [e:ServiceInstance](#) [e:EEID](#) [Actions](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	SchemaVersion	e:tSchemaVersion	required			
annotation	documentation	Root tag for Service Subscription				

### element **ServiceSubscriptions/Actions**

diagram




namespace [schemas-atis-esif-org:esi](#)

type [e:tActions](#)

facets	enumeration	enumeration	enumeration	enumeration	documentation
	Clear_All_Default	Clear_All_EEID	Set_EEID	Set_Default	Actions to set or clear service subscription
annotation					

### element **Window**

diagram



namespace [schemas-atis-esif-org:esi](#)

type [e:tWindow](#)

children [StartTime](#) [EndTime](#)

used by elements [EventActivityReport](#) [GetActivityReport](#)  
 annotation documentation Start and end time for requests

### complexType **e:tError**




namespace schemas-atis-esif-org:esi

type extension of **xs:string**

used by elements [EmergencyEventResponse/Error](#) [EmergencyEventInformation/Error](#) [ActiveEventStaus/Error](#) [EventActivityReport/Error](#) [ConfigurationReport/Error](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
	Number	xs:NMTOKEN	optional			
annotation	documentation	Generic Error code				

### complexType **e:tInformation**




namespace schemas-atis-esif-org:esi

type extension of [e:tOpenContent](#)

used by element [InformationBody](#)

annotation documentation Information imported from other schemas

### complexType **e:tOpenContent**




namespace schemas-atis-esif-org:esi

used by complexTypes [e:tInformation](#) [e:tParameters](#)

annotation documentation Hosts any number of elements belonging to any namespace other than the target namespace


### complexType **e:tParameters**



namespace schemas-atis-esif-org:esi  
 type extension of [e:tOpenContent](#)  
 used by element [Parameters](#)  
 annotation documentation Nominal source is Header schema

### complexType e:tServiceInstanceType

diagram



namespace schemas-atis-esif-org:esi  
 children [ServiceID](#) [ServiceType](#) [ServiceStatus](#) [ServiceAttribute](#)  
 used by element [ServiceInstance](#)  
 annotation documentation Type for Service Information

### element e:tServiceInstanceType/ServiceID

diagram



namespace schemas-atis-esif-org:esi  
 type [e:tServiceID](#)  
 facets maxLength 10

### element e:tServiceInstanceType/ServiceType


diagram



namespace schemas-atis-esif-org:esi  
 type [e:tServiceType](#)  
 facets enumeration ali  
 enumeration notification  
 enumeration im  
 enumeration callerSupplemental  
 enumeration siteSupplemental  
 enumeration incSupplemental  
 enumeration video\_notification  
 enumeration map  
 enumeration administrative


### element e:tServiceInstanceType/ServiceStatus

diagram




namespace `schemas-atis-esif-org:esi`  
 type [e:tServiceStatus](#)  
 facets  
   enumeration `Online`  
   enumeration `Offline`

### element `e:tServiceInstanceType/ServiceAttribute`

diagram 


namespace `schemas-atis-esif-org:esi`  
 type [e:tServiceAttribute](#)  
 facets  
   enumeration `infoDiscrepancy`  
   enumeration `psapMisroute`

### complexType `e:tWindow`

diagram 


namespace `schemas-atis-esif-org:esi`  
 children [StartTime](#) [EndTime](#)  
 used by element [Window](#)  
 annotation documentation `Start and Stop time window`

### element `e:tWindow/StartTime`

diagram 

namespace `schemas-atis-esif-org:esi`  
 type `xs:dateTime`

### element `e:tWindow/EndTime`

diagram 

namespace `schemas-atis-esif-org:esi`  
 type `xs:dateTime`

### simpleType `e:tActions`

namespace `schemas-atis-esif-org:esi`  
 type restriction of `xs:string`  
 used by element [ServiceSubscriptions/Actions](#)  
 facets  
   enumeration `Clear_All_Default`  
   enumeration `Clear_All_EEID`  
   enumeration `Set_EEID`  
   enumeration `Set_Default`

annotation documentation Action for Service Subscription message

### simpleType **e:tActivity**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [ActiveEventStaus/Event/Activity](#)  
facets enumeration A  
enumeration I  
annotation documentation Active (A) or Inactive (I) status

### simpleType **e:tActivityType**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [GetActivityReport/ActivityType](#)  
facets enumeration location  
enumeration discrepancy  
enumeration misroute  
enumeration nodata  
enumeration all  
annotation documentation Type of activity requested on report message

### simpleType **e:tCC\_Cause**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [CommunicationsChannelDisconnect/CC\\_Cause](#)  
facets enumeration Emergency-Resquestor  
enumeration Call-Taker  
annotation documentation Cause code for Communications Disconnect

### simpleType **e:tCESEID**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [GetConfigurationReport/CESEID](#)  
facets maxLength 10  
annotation documentation CESE ID

### simpleType **e:tCount**

namespace schemas-atis-esif-org:esi  
type **xs:integer**  
used by element [EventActivityReport/Count](#)  
annotation documentation Event count

### simpleType **e:tDateTime**

namespace schemas-atis-esif-org:esi  
type **xs:dateTime**  
used by element [EventActivityReport/Event/DateTime](#)  
annotation documentation Origination time of event

### simpleType **e:tDuration**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [EventActivityReport/Event/Duration](#)  
facets maxLength 10  
annotation documentation Event duration in seconds

### simpleType **e:tEE\_Cause**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [EmergencyEventComplete/Cause](#)  
facets enumeration Complete  
enumeration Suspend  
annotation documentation Cause code for Event Complete

### simpleType **e:tEEID**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [EEID](#)  
facets maxLength 32  
annotation documentation Emergency Services Event ID

### simpleType **e:tESNetID**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [ConfigurationReport/ESNetID](#)  
facets maxLength 10  
annotation documentation ESNet Identifier

### simpleType **e:tIMConferenceAddress**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**

used by element [IM\\_Notify/ConferenceAddress](#)  
facets maxLength 20  
annotation documentation IM Conference Address

### simpleType e:tIMID

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [ActiveEventStaus/Event/IMID](#)  
facets maxLength 15  
annotation documentation ID for IM session

### simpleType e:tIP\_Address

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [ConfigurationReport/IP\\_Address](#)  
facets maxLength 20  
annotation documentation IP Address

### simpleType e:tMessageType

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [MessageType](#)  
facets enumeration Normal  
enumeration Manual\_With\_Event  
enumeration Manual\_No\_Event  
enumeration Test  
annotation documentation Type of message - initial, manual or test

### simpleType e:tNotes

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by elements [InformationDiscrepancy/Revised\\_Info/Comments](#) [PSAPMisroute/Comments](#) [ActiveEventStaus/Event/EventText](#) [NotesBody/Notes](#)  
facets maxLength 200  
annotation documentation Notes container

### simpleType e:tPosition

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [EventActivityReport/Event/Position](#)  
facets maxLength 3

annotation      documentation      Position handling request

### simpleType **e:tReason**

namespace      schemas-atis-esif-org:esi  
type      restriction of **xs:string**  
used by      element      [Acquiesce/Reason](#)  
facets      maxLength      40  
annotation      documentation      Reason codes for messages

### simpleType **e:tRGProvider**

namespace      schemas-atis-esif-org:esi  
type      restriction of **xs:NMTOKEN**  
used by      element      [ConfigurationReport/RGProvider](#)  
facets      maxLength      20  
annotation      documentation      ESNet Provider

### simpleType **e:tSchemaVersion**

namespace      schemas-atis-esif-org:esi  
type      restriction of **xs:string**  
used by      attributes      [ConfigurationReport/@SchemaVersion](#) [GetConfigurationReport/@SchemaVersion](#)  
[IM\\_Notify/@SchemaVersion](#) [EventActivityReport/@SchemaVersion](#)  
[GetActivityReport/@SchemaVersion](#) [ActiveEventStaus/@SchemaVersion](#)  
[GetActiveEventStatus/@SchemaVersion](#) [ServiceSubscriptions/@SchemaVersion](#)  
[Publish/@SchemaVersion](#) [Notify/@SchemaVersion](#) [PSAPMisroute/@SchemaVersion](#)  
[InformationDiscrepancy/@SchemaVersion](#) [EEBridge/@SchemaVersion](#)  
[SendInformation/@SchemaVersion](#) [EmergencyEventComplete/@SchemaVersion](#)  
[CommunicationsChannelDisconnect/@SchemaVersion](#)  
[EmergencyEventInformation/@SchemaVersion](#) [EmergencyEventResponse/@SchemaVersion](#)  
[EmergencyEventUpdate/@SchemaVersion](#) [EmergencyEvent/@SchemaVersion](#)  
[Acquiesce/@SchemaVersion](#)  
facets      whiteSpace      collapse  
            pattern      [\p{Nd}]{1,2}\.[\p{Nd}]{1,2}  
annotation      documentation      Used to carry version of validating schema

### simpleType **e:tServiceAttribute**

namespace      schemas-atis-esif-org:esi  
type      restriction of **xs:NMTOKEN**  
used by      element      [e:tServiceInstanceType/ServiceAttribute](#)  
facets      enumeration      infoDiscrepancy  
            enumeration      psapMisroute  
annotation      documentation      Attribute of service

### simpleType **e:tServiceID**

namespace      schemas-atis-esif-org:esi  
type      restriction of **xs:NMTOKEN**

used by element [e:tServiceInstanceType/ServiceID](#)  
facets maxLength 10  
annotation documentation Service Identifier

### simpleType **e:tServiceStatus**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [e:tServiceInstanceType/ServiceStatus](#)  
facets enumeration Online  
enumeration Offline  
annotation documentation Online/Offline Status of Service

### simpleType **e:tServiceType**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [e:tServiceInstanceType/ServiceType](#)  
facets enumeration ali  
enumeration notification  
enumeration im  
enumeration callerSupplemental  
enumeration siteSupplemental  
enumeration incSupplemental  
enumeration video\_notification  
enumeration map  
enumeration administrative  
annotation documentation Type of Service

### simpleType **e:tTCP\_Port**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [ConfigurationReport/TCP\\_Port](#)  
facets maxLength 5  
annotation documentation TCP Port Number

### simpleType **e:tTNType**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [EventActivityReport/Event/Key](#)  
facets maxLength 15  
annotation documentation TN Type up to 15 digits

### simpleType **e:tUseDefaultServices**

namespace schemas-atis-esif-org:esi

type restriction of **xs:NMTOKEN**  
used by element [EmergencyEvent/UseDefaultServices](#)  
facets enumeration True  
enumeration False  
annotation documentation Action for EEvent

### simpleType **e:tVersion**

namespace schemas-atis-esif-org:esi  
type restriction of **xs:NMTOKEN**  
used by element [ConfigurationReport/RGVersion](#)  
facets maxLength 10  
annotation documentation Version Number

XML Schema documentation generated with [XMLSPY](#) Schema Editor <http://www.altova.com/xmlspy>